NOTE Price Changes

OWE TO CHANGING COSTS OF MATERIAL AND LABOR PROCES ON SOME ITEMS IN THIS CATALOG ARE NOT CORRUCT. PLEASE WRITE OR PHONE FOR EXACT GUOTATIONS.

E. & M. CO.

Catalog ELMER & MOODY G

FIRST AVE. AT BELL ST. SEATTLE ... U. S. A.

MILLWORK

"The Important Part of a House"

Of all the materials which go into a house, Millwork is one of the most conspicuous. We endeavor to furnish first class millwork, but it requires proper care in installing by the carpenter, plus a good job of finishing by the painter, in order to enhance the value and joy of living with it in any home.

CARE OF WOODWORK

Wood has been proven a very satisfactory building material when properly treated. Finish lumber, mouldings, doors and other items of kiln dried wood should not be taken into a house until the plaster is thoroughly dry. Dry lumber absorbs the moisture in the air readily which makes it very necessary to prime or oil all wood products as soon as delivered. This stops the raising of the grain and swelling.

Exterior Doors should be painted or varnished on both faces and all edges, the bottom edge being the most important for the end grain of unpainted wood acts the same as a sponge. Water can be drawn up several inches and this is what causes warping or loosening of the joints.

How to Order

A Millwork Order Blank is enclosed with this catalog and by filling in properly we should be able to fill your order correctly. Be sure to give the names or numbers shown in the catalog along with the size, thickness, and quantity required.

The universal rule in ordering Millwork is: Give the width first, then the height, then the thickness.

Frames

Please check the details shown in the frame section to see if the wall construction is the same as yours. If different than Standard, be sure to give the total wall thickness or specify the size of the members you are using such as shiplap and studs; also if lath and plaster or wallboard is to be used inside.

Sash frames should be specified as to their operation, swing out, swing in, or stationery.

Windows and Sash

The term Sash indicates a single piece, that is the glass with the wood rim around it. A window means two pieces, a lower and upper sash. In ordering windows give the glass size of the lower and upper sash. In ordering sash give the size of the frame opening to be filled, preceded by the abbreviation O.S.M., meaning outside measure.

If the single large light in either sash or window is to be divided into smaller lights, be sure to specify the number or send a sketch showing the arrangement of lights.

Doors

In ordering doors not shown in the catalog it is advisable to send a sketch showing arrangement of panels, size of glass, etc., as well as the size and thickness.

Made to Order Goods

We are prepared to furnish special millwork of all kinds. Remember, however, that you can save time and money by ordering the stock items shown in this catalog. Odd sizes and special millwork must be made to order and will take from two to three weeks' time. If your order contains both stock items and made-to-order items, please state if you want the stock items sent at once or whether the entire order shall be held, awaiting the making of special items.

Shipping Point

Be sure to specify shipping point and if different than postoffice give both.

Freight

All prices in this catalog are F.O.B. Seattle. We will be glad to quote delivered prices to your station on any lists of material that you send us.

Damage in Shipment

Always inspect your goods carefully before taking them from the station. If any bundles are missing or are broken or scratched, have the agent make a notation on the freight bill of the damaged or missing article. If you will then send us the freight bill, we will pay the damage or replace the goods.

· Terms

Cash in Full with Order: If you care to send cash in full with the order, we will allow a cash discount of 2%. Take this off when sending order.


Cash on Delivery: If you do not care to send all cash with the order, we will ship it on receipt of 25% of the amount of the bill. In this case we draw a draft for the balance with Bill of Lading attached and send it to your bank.

Prepay Stations: If your station is a prepay station, it will be necessary to send enough money with the order to pay for the material and also the freight. We will refund any excess sent.

1940 DESIGN BOOK with NET PRICES

30th Anniversary Number

"Thirty years of Making Houses into Homes—with High Quality, Well Styled Woodwork"
PICTORIAL INDEX




ELMER & MOODY CO.

2229 First Avenue (at Bell Street)

Phone MAin 8110

Seattle, Washington



Philippine Mahogany Doors

ENTRANCE DOORS OF DISTINCTION

Natural Wood Finishes

The Latest Style in Modern Homes

The Flush Type doors shown on this page are made from Philippine Mahogany, a beautiful light colored wood with unusual ribbon like grain. Its lightness makes it possible to stain almost any color desired, from the natural light finish to the dark Walnut or red brown Mahogany.



A practical door for the Modern Home, "V" grooves forming a pleasing design, and a hinged wicket sash glazed with Reeded Translucent glass. The light effect through this new glass is very interesting.

Size of Door		Philippine Mahogany Per Door	Vertical Grain Fir Per Door
3'0"x6'8"	13/4"	\$27.05	\$25.55
3'0"x7'0"	13/4"	28.02	26.45
3'6"x7'0"	1¾"	31.44	29.60

OLYMPIC

Simplicity of design makes this door suitable for many types of houses. The metal wicket has a hinged door on the inside glazed with clear glass. Prices as quoted are for a Brass Finished Wicket. If Old Iron Finish wanted, please specify.

Size of Door		Philippine Mahogany Per Door	Vertical Grain Fir Per Door
3'0"x6'8"	13/4"	\$26.37	\$24.67
3'0"x7'0"	13/4"	27.35	25.77
3'6"x7'0"	1¾"	31.26	28.92

MODERN

This is a typically modern Front Door. It has an Old Iron Finish Metal Wicket with a Knocker and on the inside a smaller metal door that can be opened. On the outside are four "V" Grooves. Made either in Ribbon Figured Philippine Mahogany or Vertical Grain Fir.

Size of Do	or	Philippine Mahogany Per Door	Vertical Grain Fir Per Door
3'0"x6'8"	1¾"	\$25.76	\$24.26
3'0"x7'0"	13/4"	26.73	25.16
3'6"x7'0"	1 3/4 "	30.14	28.31

NAPLES PHILIPPINE MAHOGANY FLUSH DOOR

The outside of this door has two Fancy Moulded Grooves about one inch wide. The light is covered with a Metal Grille, finish Old Iron. Back of this Grille is a wood sash that can be opened.

Size of Door		Philippine Mahogany Per Door	Vertical Grain Fir Per Door
3'0"x6'8"	1 3/4 "	\$26.51	\$25.01
3'0"x7'0"	1¾"	27.48	25.91
3'6"x7'0"	1¾"	30.89	29.06





OLYMPIC



NAPLES



FAIR

10

10

MODERN

Philippine Mahogany Doors

LIGHT RIBBON FIGURED

SAXON

PHILIPPINE MAHOGANY PANEL DOOR

Veneered ribbon figured both sides. The panel has raised moulding on the outside, bead and cove moulding inside. There is a Metal Grille with Knocker, and a small door that can be opened from the inside.

Size of Door		Philippine Mahogany Per Door	Fir Per Door	
3'0"x6'8"	1¾"	\$18.56	\$12.00	
3′0″x7′0″	1¾"	19.56	12.41	

NORWICH

PHILIPPINE MAHOGANY PANEL DOOR

A True Colonial Type Entrance Door with a Modern metal wicket. Quotations are for Brass Finish. If Old Iron or Bronze is wanted, please specify. Panels are heavy solid raised with Ovalo solid sticking both sides.

Size of Do	or	Philippine Mahogany Per Door	Fir Per Door
3'0"x6'8"	1¾"	\$20.39	\$12.11



MANILA PHILIPPINE MAHOGANY

Size of Door	Per Door	Size of Door	Per Door
2' 0"x6'6"	13/8"\$6.89	2'0"x6'8"	13/8"\$6.94
2' 4"x6'6"	1%" 7.26	2'2"x6'8"	13/8" 7.09
2' 6"x6'6"	1%" 7.53	2'4"x6'8"	1 3/8" 7.30
2' 8"x6'6"	1%" 7.84	2'6"x6'8"	1%" 7.58
1' 6"x6'8"	1%" 6.94	2'8"x6'8"	1%" 7.88
1' 8"x6'8"	1%" 6.94	3'0"x6'8"	1%" 8.66
1'10"x6'8"	1%" 6.94		



Glazed with Clear Glass, Flat Zinc Bars

SINGLE DOOKS			PAIR	OF DC	OKS
Size of Door	Per	r Door	Size of Pair		Per Door
2'0"x6'8"	13/8"\$	10.42	4'0"x6'8"	1 3/8"	\$21.84
2'4"x6'8"	1%"	11.75	4'8"x6'8"	1%"	24.50
2'6"x6'8"	1 3/8"	12.48	5'0"x6'8"	1%"	25.96
2'8"x6'8"	1%"	13.27	5'4"x6'8"	1%"	27.54

NOTE-2'0" Wide Doors Have Ten Lights

FRENCH DOORS NO. 386 PW PHILIPPINE MAHOGANY Glazed with Clear Glass, Wood Bars


SINGLE DOORS			PAIRS	S OF	DOORS
Size of Door	1.1	Per Door	Size of Pair		Per Door
2'0"x6'8"	1%"	\$10.83	4'0"x6'8"	1%".	\$22.66
2'4"x6'8"	13/8"	11.49	4'8"x6'8"	1%".	23.98
2'6"x6'8"	1 3/8"	14.11	5'0"x6'8"	13%".	29.22
2'8"x6'8"	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.45	5'4"x6'8"	1%".	29.90

NOTE: 2'0" Wide Doors Have Ten Lights Price of Pairs Include Astragals

Other Sizes and Designs Made to Order



NORWICH



FRENCH DOOR No. 386 P-Metal Bars No. 386 PW-Wood Bars



400



MANILA

Modern Front Doors

MADE OF CLEAR DOUGLAS FIR AND PHILIPPINE MAHOGANY

LYNN

A very popular design for Early American Style Homes. This is a Dutch Door with rabbeted lock rail. Flat plywood panel, chamfered rails, lights divided with wood bars.

			Per Door
Size of Door		Fir	Philippine Mahogany
3'0"x6'8"	134"	\$17.50	\$23.00
3'0"x7'0"	13/4"	18.05	23.50

NEW ENGLAND

A distinctive Entrance door of authentic Colonial Design made with heavy solid raised panels and ovalo sticking both sides. The panels in the Fir door are vertical grain.

70.00			Dhilinning
e of Doo	or	Fir	Philippine Mahogany
"x6'8"	1¾"	\$10.50	\$19.55
		e of Door "x6'8" 134"	



NEW ENGLAND

LYNN

CLASSIC

SUSSEX

A Conservative Design which is in harmony with either English, Colonial or Spanish Type Houses.

Made with raised vertical grain panels, ovolo sticking.

Size of Door		Fir Per Door	Philippine Mahogany Per Door
3'0"x6'8"	1¾"	\$9.15	\$17.63

CLASSIC

This door is suited to the Modern, or the Modern Colonial Style Homes of today. For Stock Metal Wicket in place of Rosette in top panel add \$3.00.

Made with flat veneered panels, ovolo sticking inside, raised moulding outside.

Size of Door		Fir Per Door	Philippine Mahogany Per Door
3′0″x6′8″	1¾"	\$9.29	\$13.11

Other Sizes and Designs Made to Order



SUSSEX

Modern Front Doors

MADE OF CLEAR DOUGLAS FIR AND

PHILIPPINE MAHOGANY

BALTIMORE

A New Design that will look well in many types of Modern Homes. The Metal Wicket has a hinged door with clear glass making it entirely different than any available today. Quotations are for an Old Iron Finish Wicket. If Brass Finish, add \$2.00. Be sure to specify finish. Door as shown has Flat Panels and heavy raised mould outside. Raised Panels may be had on special order at extra cost. See Entrance Index Page.

		Per	r Door
Size of Do	or	Fir	Philippine Mahogany
3'0"x6'8"	1¾"	\$13.85	\$22.30

The Salem and Cape Cod Doors are both made with heavy raised panels and solid ovolo sticking on both sides. Panels in fir doors are Vertical Grain.

Typically Colonial

SALEM

Size of Door		Fir Per Door	Philippine Mahogany Per Door
3'0"x6'8"	1¾"	\$8.51	\$16.79
3'0"x7'0"	1 3/4 "	8.90	

GEORGIAN


Made with top and botton panels flat with Flush Reeded Mould applied on the outside. The center Panel is solid raised and the wicket shown is old Iron Finish. Other wickets may be used.

	Per	r Door
Size of Door	Fir	Philippine Mahogany
3'0"x6'8" 1¾"	\$12.50	\$18.50

CAPE COD Glazed Clear Glass

Size of Door		Fir Per Door	Philippine Mahogany Per Door
3'0"x6'8"	1¾"	\$15.45	\$24.06





BALTIMORE



CAPE COD





GEORGIAN

Modern Front Doors

MADE OF CLEAR DOUGLAS FIR AND PHILIPPINE MAHOGANY

The Pasadena Door has a metal wicket and knocker, and a small metal door opening from the inside.

The Magnolia Door has a circular light with clear double strength glass set stationary.

Cuts show Flat Grain Fir; can also be furnished in Vertical Grain Fir and Philippine Mahogany.



If "V" Grooves wanted send sketch showing number and arrangement. The extra charge will be 25c per groove with minimum of \$1.00.

PASADENA

Size of Door	Flat Grain Fir Per Door	Vertical Grain Fir Per Door	Phili <mark>ppine</mark> Mahogany Per Door
3'0"x6'8"x1¾"	\$18.50	\$23.00	\$24.50
3'0"x7'0"x1¾"	19.20	23.90	25.49
$3'6''x7'0''x1\frac{3}{4}''$	21.54	27.05	28.89

If Wicket omitted, deduct \$4.50

MAGNOLIA

Size of Door	Flat Grain Fir Per Door	Vertical Grain Fir Per Door	Philippine Mahogany Per Door
3'0"x6'8"x1¾"	\$20.36	\$24.86	\$26.36
3'0"x7'0"x134"	21.03	25.76	27.33
3'6"x7'0"x1¾"	23.40	28.91	30.74

SPARTA

An inexpensive modern type door that can be used as a Front, Side or Balcony Door, Wood Bars.

		Pe	r Door
Size of Door		Fir	Philippine Mahogany
2'4"x6'8"	13%"	\$7.90	\$13.33
2'6"x6'8"	13%"	8.05	13.73
2'8"x6'8"	13%"	8.47	14.27
2'6"x6'8"	1 3/4 "	9.56	15.53
2'8"x6'8"	134"	10.08	16.07
3'0"x6'8"	13/4"	10.79	17.23
3'0"x7'0"	134"	11.34	18.27
3'6"x7'0"	13/4"	12.71	21.97

ATHENS Wood Bars

Size of Door	Fir Per Door	Philppine Mahogany Per Door
2'8"x6'8"x1¾"	\$ 9.79	\$15.80
3'0"x6'8"x134"	10.81	17.10
3'0"x7'0"x1¾"	11.12	18.75


Other Sizes and Designs Made to Order



MAGNOLIA



ATHENS



PASADENA

SPARTA

Front and Store Doors



Size of Door	Wood Bars	Metal Bars
2'8"x6'8"	1%"\$ 8.15	\$10.50
2'8"x6'8"	1¾" 9.00	11.11
3'0"x6'8"	134" 10.05	12.18
3′0″x7′0″	134" 10.36	12.82

SIDELIGHTS, CLEAR DOUGLAS FIR

Size of Sidelight	Bars	Bars
1'2"x6'8" or 7'0" 1	3/8"\$5.00	\$5.25
1'4"x6'8" or 7'0" 1	3/8" 5.15	5.45
	3/8" 5.40	6.25

RIVERSIDE P, PHILIPPINE MAHOGANY

Size of Door			Bars
3'0"x6'8"	134"	\$1	17.65
3'0"x7'0"	13/4"		19.15

SIDELIGHT P, PHILIPPINE MAHOGANY

Size of Side	light		Bars
1'2"x6'8"	or 7'0"	1%"	\$10.75
1'4"x6'8"	or 7'0"	1%"	10.75
1'6"x6'8"	or 7'0"	1%"	11.25

VISTA GRANDE, CLEAR DOUGLAS FIR

Size of Door	Bars	Bars
2'8"x6'8"	13/8"\$ 9.09	\$11.38
2'8"x6'8"	13/4" 9.94	12.09
3'0"x6'8"	1¾" 11.28	13.54
3'0"x7'0"	134" 11.96	14.39

SIDELIGHTS, CLEAR DOUGLAS FIR

Size of Sidelight	Wood Bars	Metal Bars
1'2"x6'8" or 7'0"	13/8"\$4.90	\$5.65
1'4"x6'8" or 7'0"	1 3/8" 5.35	5.85
1'6"x6'8" or 7'0"		6.65

STORE DOOR C

Size of Door	Glazed	Glazed	Glazed	Height
	Double	Plain	Crystal	to
	Strength	Plate	Sheet	Glass
2' 8" x 6' 8"—13/8"	\$8.26	\$13.83	\$9.25	29"
2' 8" x 6' 8"—13/4"	9.31	14.85	10.29	29"
3' 0" x 6' 8"—1¾"	$10.24 \\ 10.65$	16.61	11.21	29"
3' 0" x 7' 0"—1¾"		17.83	11.93	29"
3' 6" x 7' 0"—1¾"	12.34	21.23	13.95	29"


STORE DOOR A

Same door as "C" only one plain light, no bars.


Size of Door	Glazed	Glazed	Glazed	Height
	Double	Plain	Crystal	to
	Strength	Plate	Sheet	Glass
2' 8" x 6' 8"—13/8"	\$6.91	\$12.48	\$7.90	29"
2' 8" x 6' 8"—13/4"	7.96	13.50	8.94	29"
3' 0" x 6' 8"—13/4"	8.89	15.26	9.86	29"
3' 0" x 7' 0"—1¾"	9.30	16.48	10.58	29"
3' 6" x 7' 0"—1¾"	10.99	19.88	12.60	29"

STORE DOOR B

Size of Door	Glazed	Glazed	Glazed	Height
	Double	Plain	Crystal	to
	Strength	Plate	Sheet	Glass
3' 0" x 6' 8"—134"	\$9.36	\$17.10	\$10.58	18"
3' 0" x 7' 0"—134"	9.81	18.20	11.18	18"
3' 6" x 7' 0"—134"	11.55	21.73	13.08	18"



VISTA GRANDE




STORE DOOR B



RIVERSIDE

STORE DOOR C

Bungalow Front Doors MADE OF CLEAR DOUGLAS FIR



VENTURA

Size of Door	Woo Bar	
2'8"x6'8"	13/8"\$6.9	90 \$7.36
2'8"x6'8"	134" 7.9	8.32
3'0"x6'8"	134" 8.2	28 9.01
3′0″x7′0″	1¾" 8.	78 9.40



POMONA

Size of Door	Wood Bars	Metal Bars
2'8"x6'8" 1	3/8"\$7.20	\$7.33
2'8"x6'8"]	3/4" 8.19	8.33
3'0"x6'8" 1	3/4" 8.76	9.09
3'0"x7'0" 1	34" 9.14	9.40




AVALON

Size of Door	Wood Bars	Metal Bars
2'8"x6'8"	1 3/8"\$7.20	\$7.63
2'8"x6'8"	134" 8.19	8.63
3'0"x6'8"	13/4" 8.76	9.39
3′0″x7′0″	1¾" 9.14	9.78



CATALINA

Size of Door	Clear Glass	Art Glass
2' 8"x6'8"	1 3/8"\$6.34	\$9.97
2' 8"x6'8"	1¾" 7.31	11.03
3' 0"x6'8"	134" 7.83	12.89
3' 0"x7'0"	1¾" 8.20	13.30



ALAMEDA

Size of Door		Wood Bars	Metal Bars
2'8"x6'8"	13%"	\$8.47	\$7.61
2'8"x6'8"	13%"	9.67	8.58
3'0"x6'8"	134"	10.24	9.30
3'0"x7'0"	1¾"	10.62	9.68



BURLINGAME

Size of Door	Wood Bars	Metal Bars
2'8"x6'8" 13	%"\$10.47	\$8.11
2'8"x6'8" 13	4" 11.67	9.08
	4" 12.12	9.80
3'0"x7'0" 13	4" 12.62	10.30



BERKELEY

Size of Door	Wood Bars	Metal Bars
2' 8"x6'8"	13%"\$ 9.19	\$9.25
2' 8"x6'8"	134" 10.25	10.31
3' 0"x6'8"	134" 11.16	11.63
3' 0"x7'0"	1¾" 11.80	12.43




GLENDALE

Siz	e of Door	Wood Bars	Metal Bars
2'	8"x6'8"	1%"\$10.94	\$9.79
2'	8"x6'8"	134" 12.00	70.85
3'	0"x6'8"	1 34" 13.15	12.25
3'	0"x7'0"	134" 13.56	13.11

Sash Doors

MADE OF CLEAR DOUGLAS FIR — GLAZED WITH CLEAR GLASS










Size of Door	Per Door
2'6" x 6'6"	13/8"\$4.04
2'8" x 6'6"	$1\frac{3}{8}''$
2'4" x 6'8"	13/8"
2'6" x 6'8"	13/8"
2'8" x 6'8"	13/8"
3'0" x 6'8"	13/8" 4.80
3'0" x 7'0"	13/8" 5.28
2'6" x 6'8"	13/4" 5.00
2'8" x 6'8"	134" 5.28
3'0" x 6'8"	134" 5.80
3'0" x 7'0"	134" 6.33

Size of Door								ľ	'e	r Do
2'6" x 6'6"	13/8"									\$5.00
2'8" x 6'6"	13/8"									5.13
2'4" x 6'8"	13/8"									4.80
2'6" x 6'8"	13/8"	0								5.04
2'8" x 6'8"	13/8"									5.18
3'0" x 6'8"	13/8"	١.								5.53
3'0" x 7'0"	13/8"	١.								5.93
2' 6" x 6' 8"	13/1	,	į.							6.16
2'8" x 6'8"	134"									6.36
3'0" x 6'8"	134"	١.						ì		6.76
3'0" x 7'0"	134"	٠.		ì						7.23

Size of	Door]	P	e	Dog
2'6"	x 6 ' 6"	13/8"													. 5	4.68
2'8"	x 6 ' 6"	13/8"														4.84
2'4"	x 6'8"	13/8"	٠.											ì	ũ	4.50
2'6"	x 6'8"	13/8"														4.73
2'8"	x 6'8"	13/6"											20			4.93
3'0"	x 6'8"	13/6"	ſ,	Ī	Ĺ		Ì							Ì	i	5.36
3'0"	x 7' 0"	1360	•	•		i	Ċ					Ċ	•		i	5.76
2' 6"	x 6' 8"	13/1	,	i	Ċ	ċ	•	٠	٠	٠	ċ		•			5.73
	x 6' 8"	13/1			٠	•	•	•			•	٠		•		5.96
	x 6' 8"	13,70		•	•	•	•	•	•	•	•	•	•	•		6.48
3'0"		13/1	Ċ	•	•	•	•	•	•	•	•	•	•	•	•	6.93

Size of Door									P	e	r Doo	1
2'6" x 6'6"	13/8".									. 5	\$3.80	
2'8" x 6'6"	13/8".										4.00	
2'6" x 6'8"	13/8".									:	3.88	
2'8" x 6'8"	13/8".						ì		1		4.08	
3'0" x 6'8"	13/8".						ĺ.		ũ		4.53	
3'0" x 7'0"	136"	ne.	Ē	ì		ľ	Ì	Ì			4.88	
2'8" x 6'8"	13/1"										5.00	
3'0" x 6'8"	134"										5.50	
3'0" x 7'0"	13.7"					•	•	•	Ī		5.93	









T	A L	CE	CT	DI	F

Size of	Door	-						ŀ	er Door
2'6"	x 6 ' 6"	13.8"							.\$4.60
2'6"	x 6'8"	13/8"							. 4.90
2'8"	x 6'8"	13/8"							. 5.04
2' 6"	x 6' 8"	13/4"							. 5.73
248"	x 6'8"	134"							. 5.93

Size of Door	Per Do	01
2'6" x 6'6"	13/8"\$5.78	
2'6" x 6'8"	13/8" 5.83	
2'8" x 6'8"	13/8" 5.96	
2'6" x 6'8"	13/4" 6.64	
2'8" x 6'8"	134" 6.84	

BLUE RIDGE

Size	of	Door							P	er	Do	0
		x 6 ' 6"	13/8"				7			\$	4.20	-
		x 6' 6"	138"								4.33	
		x 6'8"	13/8"								4.36	
		x 6'8"	13/8"								4.50	
		x 6'8"	13/8"			٠,					5.33	
		x 7' 0" x 6' 8"	13/8"								5.73	
		x 6' 8"	13/4"			٠.		٠			6.16	
		x 7' 0"	13/4"					•			6.56	
9	0	X / U	13/4"			٠,				. '	7.03	

Mirror and Interior Doors

ALDEN

Strictly First Quality for High Grade Work Solid Vertical Grain Stiles and Rails

Size of Door	Per Door	Size of Door	Per Door
2' 4" x 6' 0"— 2' 6" x 6' 0"—	13%" 2.74 13%" 2.93 13%" 2.93 13%" 3.00 13%" 3.08 13%" 2.80 13%" 2.80 12%" 2.80	2' 0" x 6' 8"—13 2' 2" x 6' 8"—13 2' 4" x 6' 8"—13 2' 6" x 6' 8"—13 2' 6" x 6' 8"—13 3' 0" x 6' 8"—13 2' 0" x 7' 0"—13 2' 4" x 7' 0"—13 2' 4" x 7' 0"—13 2' 8" x 7' 0"—13 3' 0" x 7' 0"—13 3' 0" x 7' 0"—13 3' 0" x 7' 0"—13	\begin{array}{cccccccccccccccccccccccccccccccccccc

ARCADIA FIR

Strictly First Quality for High Grade Work Solid Vertical Grain Stiles and Rails

Size of Door	Per Door	Size of Door	Per Door
2' 0" x 6' 0"—13	\$"\$2.63	2' 0" x 6' 8"-13/8"	″\$2.80
2' 6" x 6' 0"—13		2' 2" x 6' 8"—13/8	
2' 0" x 6' 6"—13		2' 4" x 6' 8"-13%	
2' 4" x 6' 6"—13	8" 2.93	2' 6" x 6' 8"-13%	" 3.04
2' 6" x 6' 6"—13	8" 3.00	2' 8" x 6' 8"-13/8	" 3.13
2' 8" x 6' 6"—13		3' 0" x 6' 8"-13/8	" 3.40

MIRROR DOORS-Clear Douglas Fir

Glazed with Polished Plate Glass Mirrors, One Panel Back

Size of Door	Plain Mirror	Beveled Mirror	Size of Mirror
2′ 0″ x 6′ 6″—1¾″	\$15.45	\$22.04	155/8x65
2' 4" x 6' 6"—13/8"	18.53	25.86	195/8x65
2' 6" x 6' 6"—13/8"	19.99	27.70	215/8x65
2' 8" x 6' 6"—13/8"	23.14	31.24	235/8x65
2' 0" x 6' 8"—138"	16.04	22.99	155/8x67
2' 4" x 6' 8"—138"	19.01	26.73	197/8x67
2' 6" x 6' 8"—13/8"	20.48	28.58	215/8x67
2' 8" x 6' 8"—13/8"		32.25	235/8x67

MIRROR DOORS—Philippine Mahogany Glazed with Polished Plate Glass Mirrors—One Panel Back

Size of Door	Plain Mirror	Beveled Mirror	Size of Mirror
2' 0" x 6' 8"—13/8"	\$20.85	\$28.55	155/8x67
2' 4" x 6' 8"—13/8"	24.09	32.56	195/8x67
$2' 6'' \times 6' 8'' - 13/8'' \dots$	27.54	36.39	215/8x67
2' 8" x 6' 8"—138"		38.66	235/8x67

Mirrors furnished on other doors at extra cost

FIVE CROSS FLAT PANEL DOORS							
Size of Doors	Per Door	Size of Doors	Per Door				
2' 0" x 6' 0"—13/8".	\$2.46	2' 6" x 6' 8"—138".	\$2.85				
2' 6" x 6' 0"—13/8"	2.69	2' 8" x 6' 8"—13/8".	2.93				
2' 8" x 6' 0"—13/8".		3' 0" x 6' 8"—13/8".	3.19				
2' 0" x 6' 6"—13/8".	2.58	2' 6" x 7' 0"—13/8".	3.10				
2' 4" x 6' 6"—13/8".	2.74	2' 8" x 7' 0"—13/8".	3.18				
2' 6" x 6' 6"—13/8".	2.81	3' 0" x 7' 0"—13/8".	3.45				
2' 8" x 6' 6"—13/8".	2.89						
2' 0" x 6' 8"—13/8".		2' 8" x 6' 8"—13/4".					
2' 2" x 6' 8"—13/8".	2.78	3' 0" x 6' 8"—134".	4.31				
2' 4" x 6' 8"—13/8".	2.78	3' 0" x 7' 0"—134".	4.65				


FIVE CROSS FLAT PANEL DOORS For Painting

A Sound Door containing Pitch, Small Knots, and other defects that do not impair the strength of the door. Suitable for Summer Camps, Garages, Small Houses, etc. Available in three sizes only.

Size of Door		Per	Door
2'6"x6'6"	1%"		1.88
2'6"x6'8"	1 3/8"		1.88
2'8"x6'8"	1%"		1.95



ARCADIA



FIVE CROSS PANEL



ALDEN

MIRROR DOORS

Interior Doors

STREAMLINER

FLUSH LIGHT WEIGHT INTERIOR DOORS

The Correct Door for the Real Modern Home Slash Grain Fir doors are Rezin Sealed to make paint-ing easier. Carried in stock.

Light colored natural wood finishes are in Vogue and Birch or Ribbon Grained Philippine Mahogany. Streamliners may be finished this way. Carried in stock. Vertical grain Fir on special order, requiring two to three weeks for delivery.

Size of Door	Slash Grain Fir Per Door	Vertical Grain Fir Per Door	Philippine Mahogany Per Door	Birch Per Door
2' 0" x 6' 6" 138"	\$4.91	\$7.15	\$8.58	\$7.50
2' 2" x 6' 6" 138"	4.93	7.75	9.14	8.02
2' 4" x 6' 6" 138"	5.32	8.35	9.14	8.59
2' 6" x 6' 6" 138"	5.70	8.95	9.38	9.13
1' 8" x 6' 8" 138"	4.91	7.35	8.76	7.67
2'0" x 6' 8" 138"	4.91	7.35	8.76	7.67
2' 2" x 6' 8" 138"	5.06	7.95	9.25	8.22
2' 4" x 6' 8" 138"	5.45	8.55	9.25	8.78
2' 6" x 6' 8" 138"	5.85	9.20	9.51	9.34
2' 8" x 6' 8" 13/8"	6.22	9.80	9.75	9.89
3' 0" x 6' 8" 138"	7.01	11.00	10.64	11.00



A pleasing New Design for Modern Colonial Homes, Top and Bottom Panel Plywood, Center Raised Panel of Vertical grain Fir, Ovalo sticking.

2'0"x6 8"x1%"	\$3.17	2'0"x6'6"x13%"\$3.11
2'4"x6'8"x13/8"	3.33	2'4"x6'6"x1\%" 3.30
2'6"x6'8"x13%"	3.41	2'6"x6'6"x13/8" 3.37
2'8"x6'8"x1%"	3.50	

COLONIAL FIR Strictly First Quality for High Grade Work Ovolo Sticking

Size of Door	Per Door	Size of Door	Per Doo
2' 0" x 6' 6"—13	3/8"\$3.43	2' 0" x 6' 8"—1	3/8"\$3.50
2' 2" x 6' 6"—13	3.65	2' 2" x 6' 8"—1	3/8" 3.70
2' 4" x 6' 6"-13	3.65	2' 4" x 6' 8"—1	3/8" 3.70
2' 6" x 6' 6"-1	3.75	2' 6" x 6' 8"—1	3/8" 3.80
2' 8" x 6' 6"—1	3/8" 3.85	2' 8" x 6' 8"—1	3/8" 3.90
Th	ree Panels to	match Colonia	

1'8"x6'8"x1\%" \$3.50 || 2'0"x6'8"x1\%" \$4.05 COLONIAL PHILIPPINE MAHOGANY

Ovolo Sticking Per Door Per Door Size of Door Size of Door

EMPIRE FIR

Strictly First Quality for High Grade Work Ovolo Sticking

Size of Door		Size of Door	Per Door
2' 2" x 6' 6"—13/8" 2' 4" x 6' 6"—13/8" 2' 6" x 6' 6"—13/8"	3.10 3.10 3.19	2' 0" x 6' 8"—138". 2' 2" x 6' 8"—138". 2' 4" x 6' 8"—138". 2' 6" x 6' 8"—138". 2' 8" x 6' 8"—138".	3.15 3.15 3.23

EMPIRE PHILIPPINE MAHOGANY


Ovolo Sticking

Size of Door		Size of Door	Per Door
2' 0" x 6' 6"—13\%"	\$7.58	2' 0" x 6' 8"—13'8"	\$7.63
2' 4" x 6' 6"—13\%"	7.99	2' 4" x 6' 8"—13'8"	8.04
2' 6" x 6' 6"—13\%"	8.28	2' 6" x 6' 8"—13'8"	8.34
2' 8" x 6' 6"—13\%"	8.52	2' 8" x 6' 8"—13'8"	8.67



10000 P

STREAMLINER SLASH GRAIN FIR



EMPIRE

MONTICELLO

500




COLONIAL

French Doors

MADE OF CLEAR DOUGLAS FIR

TEN LIGHT FRENCH DOORS Glazed Clear Glass, Wood Bars

Single Doors Pair of Door



	Glazed Clean	r Glas	s, Flat Zin	c Bars	
Size of Door		Door	Size of Pair	Pair of Doors	Per Pair
2'0" x 6'6" 2'4" x 6'6" 2'6" x 6'6" 2'0" x 6'8" 2'4" x 6'8" 2'4" x 6'8" 2'6" x 6'8"	13/8" 13/8" 13/8" 13/8" 13/8" 13/8"	8.35 9.04 7.23 8.56 9.24	4'0" x 6'6" 4'8" x 6'6" 5'0" x 6'6" 4'0" x 6'8" 4'8" x 6'8" 5'0" x 6'8" 5'4" x 6'8"	138"	17.20 18.58 14.96 17.62

FIFTEEN LIGHT FRENCH DOORS Glazed Clear Glass, Wood Bars

Single Doors			Pair of Doors		
Size of Door		Per Door	Size of Pair		Per Pair
2'6" x 6'6"	13/8"	\$6.95	5'0" x 6'6"	13/8"	\$14.40
2'6" x 6'8"	13/8"	6.98	5'0" x 6'8"	13/8"	
2'8" x 6'8"	$1\frac{3}{8}$ "	7.10	5' 4" x 6' 8"	13/8"	14.70
3'0" x 6'8"	13/8"		6'0" x 6'8"	13/8"	15.92
2'6" x 7'0"	13/8"	7.16	5'0" x 7'0"	13/8"	
2'8" x 7'0"	13/8"		5'4" x 7'0"	13/8"	
3'0" x 7'0"	13/8"		6'0" x 7'0"	13/6"	

Glazed Clear Glass, Flat Zinc Bars					
	Single Doors			Pair of Doors	
Size of Door		Per Door	Size of Pair		Per Pair
2'4" x 6' 6"	13/8"	\$8.35	1 4'8" x 6'6"	13/8"	\$17.20
2'6" x 6'6"	13/8"			13/8"	18.58
2'4" x 6'8"	13/8"	8.56	4'8" x 6'8"		
2'6" x 6'8"	13/8"			13/8"	18.98
2'8" x 6'8"	13/8"	9.93	5' 4" x 6' 8"	13/8"	20.36
3'0" x 6'8"	$1\frac{3}{8}$ "	11.26	6'0" x 6'8"	13/8"	23.02

FIVE LIGHT FRENCH DOORS Glazed Clear Glass, Wood Bars

	Single Doors			Pair of Doors	
Size of Door		Per Door	Size of Pair		Per Pair
2'0" x 6'6"	13/8"	\$6.34	4'0" x 6'6"	13/8"	\$13.18
2'4" x 6'6"	13/8"	6.95	4'8" x 6'6"	13/8"	14.40
2'6" x 6'6"	13/8"	7.58	5'0" x 6'6"	13/8"	15.66
2'0" x 6'8"	13/8"	6.36	4'0" x 6'8"	13/8"	
2'4" x 6'8"	13/8"	6.99	4'8" x 6'8"	13/8"	14.48
2'6" x 6'8"	13/8"	7.59	5'0" x 6'8"	13/8"	15.68
2'8" x 6'8"	13/8"	7.96	5'4" x 6'8"	13/8"	16.42
3'0" x 6'8"	13/8"	9.08	6'0" x 6'8"	13/8"	18.66

Glazed	Clear	Glass,	Flat	Zinc Bars
Single Doors				Pair of Doors

	ongie Door	Per	Door	Size of Pair	Per Pair
2'0" x 6'6"	13/8"		\$6.74	4'0" x 6'6"	13/8"\$13.98
	13/8"		7.35		13/8"
2'6" x 6'6"	13/8"		7.89	5'0" x 6'6"	13/8" 16.46
2'0" x 6'8"	13/8"		6.75	4'0" x 6'8"	13/8" 14.00
2'4" x 6'8"	13/8"		7.39	4'8" x 6'8"	13/8"
2'6" x 6'8"	13/8"		7.98	5'0" x 6'8"	13/8" 16.48
2'8" x 6'8"	13/8"		8.36	5'4" x 6'8"	$1\frac{3}{8}$ "
3'0" x 6'8"	13/8"		9.48	6'0" x 6'8"	13/8" 19.46

NINE LIGHT MARGIN FRENCH DOORS Glazed Clear Glass, Wood Bars Pair of Doors

	Single Doors				Pair of Doors	
Size of Door		Per	Door	Size of Pair		Per Pair
2'0" x 6'6"	13/8"		\$6.34	4'0" x 6'6"	13/8"	\$13.18
2'4" x 6'6"	13/8"		6.95	4'8" x 6'6"	13/8"	14.40
2'6" x 6'6"	13/8"		7.58	5'0" x 6'6"	13/8"	15.66
2'0" x 6'8"	13/8"		6.35	4'0" x 6'8"	13/8"	13.20
2'4" x 6'8"	13/8"		6.99	4'8" x 6'8"	13/8"	14.48
2'6" x 6'8"	13/8"		7.59	5'0" x 6'8"	13/8"	15.68
2'8" x 6'8"	13/8"		7.96	5'4" x 6'8"	13/8"	16.42
3'0" x 6'8"	13/8"		9.08	6'0" x 6'8"	$1\frac{3}{8}$ "	18.66


, 0			500 500 1			, 0
	Glazed	Clear	Glass,	Flat	Zinc	Bars
ce.	1 D				1	

	Single Doors			Pair of Doors
Size of Door	Pe	r Door	Size of Pair	Per Pair
2'0" x 6'6"	13/8"	\$8.29	4'0" x 6'6"	13/8"\$17.08
2'4" x 6' 6"	13/8"	9.93	4'8" x 6'6"	138" 20,36
2'6" x 6'6"	138"	10.74	5'0" x 6'6"	13/8"
2'0" x 6'8"	13/8"	8.51	4'0" x 6'8"	13/8"
2'4" x 6'8"	13/8"	10.16	4'8" x 6'8"	13/8" 20.82
2'6" x 6'8"	13/8"		5'0" x 6'8"	13/8"
2'8" x 6'8"	13/8"	11.84	5'4" x 6'8"	13/8" 24.18
3'0" x 6'8"	13/8"		6'0" x 6'8"	13/8"



1000

FIFTEEN LIGHT



NINE LIGHT



TEN LIGHT


FIVE LIGHT

400

Door and Window Screens

GALVANIZED AND BRONZE WIRE

HOLLYWOOD JUNIOR



S CO

SCREEN DOORS NO. 100

Size of Door		Galvanized Wire	Bronze Wire
2'6"x6'7"	3/4 "	\$2.40	\$3.30
2'6"x6'9"	3/4 "	2.50	3.40
2'8"x6'9"	3/4"	2.70	3.55
2'8"x6'9"	11/8"	3.10	4.10
3'0"x6'9"	11/8"	3.30	4.30
3'0"x7'1"	11/8"	3.35	4.35

Special sizes \$1.00 per Door more than next larger size.



SCREEN DOORS NO. 300

Size of Door		Galvanized Wire	Bronze Wire
2'8"x6'9"	11/8"	\$3.30	\$4.30
3'0"x6'9"	11/8"	3.50	4.50
3'0"x7'1"	1 1/8"	3.60	4.60
3'6"x6'9"	1 1/8"	4.25	5.25
3'6"x7'1"	11/8"	4.50	5.50

Special sizes **\$1.25** per Door more than next larger size.



SASH AND SCREEN DOOR NO. 150 ONE DOOR IN PLACE OF TWO Kitchen and Screen Door All in One

This door has a screen on the outside which is removable for cleaning and a double sash window with metal frame operating from the inside. Affords excellent ventilation.

Size of Door	Glazed and Screened
2'6"x6'8"x13/8"	\$ 9.90
2'8"x6'8"x1 3/8"	10.35
6'8" doors ma	y be cut down to 6'6"





Includes Door, Galvanized Wire, Screen Panel and

6 Light Glazed Sash

No. 350 SCREEN and STORM DOOR COMBINATION

Size of Door		Wire	Wire
2'8"x6'9"	11/8"	\$7.58	\$8.33
3'0"x6'9"	11/8"	8.32	9.07
3'0"x7'1"	11/8"	8.32	9.07

Special sizes \$1.50 per Door more than next larger size.

Window Screens FULL SIZE SCREENS FOR TWO LIGHT WINDOWS

Size of Glass in Windows	Outside Measure of Screens Width Height	With Galvan- ized Wire	With Bronze Wire	Size of Glass in Windows	Outside Measure of Screens Width Height	With Galvan- ized Wire	With Bronze Wire
18" x 20"	1' 10" x 3' 11"	\$1.26	\$1.68	28" x 20"	2' 8" x 3' 11"	\$1.80	\$2.40
18" x 24"	1' 10" x 4' 7"	1.53	2.04	28" x 24"	2' 8" x 4' 7"	2.10	2.82
18" x 26"	1' 10" x 4' 11"	1.62	2.16	28" x 26"	2' 8" x 4' 11"	2.21	2.99
18" x 28"	1' 10" x 5' 3"	1.71	2.26	28" x 28"	2' 8" x 5' 3"	2.38	3.22
18" x 30"	1' 10" x 5' 7"	1.80	2.40	28" x 30"	2' 8" x 5' 7"	2.47	3.34
20" x 20"	2' 0" x 3' 11"	1.35	1.80	30" x 20"	2' 10" x 3' 11"	1.98	2.64
20" x 24"	2' 0" x 4' 7"	1.62	2.16	30" x 24"	2' 10" x 4' 7"	2.21	2.99
20" x 26"	2' 0" x 5' 3"	1.71	2.28	30" x 26"	2' 10" x 4' 11"	2.30	3.11
20" x 28"	2' 0" x 4' 11"	1.89	2.52	30" x 28"	2' 10" x 5' 3"	2.47	3.34
20" x 30"	2' 0" x 5' 7"	1.98	2.64	30" x 30"	2' 10" x 5' 7"	2.64	3.57
24" x 20"	2' 4" x 3' 11"	1.62	2.16	32" x 20"	3' 0" x 3' 11"	2.07	2.76
24" x 24"	2' 4" x 4' 7"	1.89	2.52	32" x 24"	3' 0" x 4' 7"	2.30	3.11
24" x 26"	2' 4" x 4' 11"	2.07	2.76	32" x 26"	3' 0" x 4' 11"	2.47	3.34
24" x 28"	2' 4" x 5' 3"	2.10	2.82	32" x 28"	3' 0" x 5' 3"	2.64	3.57
24" x 30"	2' 4" x 5' 7"	2.21	2.99	32" x 30"	3' 0" x 5' 7"	2.69	3.63
26" x 20"	2' 6" x 3' 11"	1.71	2.28	36" x 20"	3' 4" x 3' 11"	2.21	2.82
26" x 24"	2' 6" x 4' 7"	1.89	2.76	36" x 24"	3' 4" x 4' 7"	2.55	3.34
26" x 26"	2' 6" x 4' 11"	2.07	2.82	36" x 26"	3' 4" x 4' 11"	2.66	3.57
26" x 28"	2' 6" x 5' 3"	2.10	2.99	36" x 28"	3' 4" x 5' 3"	2.72	3.63
26" x 30"	2' 6" x 5' 7"	2.21	3.22	26" x 30"	3' 4" x 5' 7"	2.96	3.85


Other sizes made to order at proportional prices.

Screens are made 34-inch and 11/4-inch thick. Be sure and state which thickness is wanted. In ordering always give the width first, then the height and thickness.

We are also prepared to furnish special size screen doors on short notice.


FOR SCREEN DOOR AND WINDOW HARDWARE, SEE PAGE 47

Garage Doors



Will -

GARAGE DOOR No. 201 Single Door



GARAGE DOORS No. 302 Two Doors per Opening



GARAGE DOORS NO. 402 Two Doors per Opening

GARAGE DOOR No. 201 ¾ Inch Cedar Boards Outside, Skeleton Back

Single doors for parallel sliding or for use with Overhead Hardware. Other sizes and designs made on order.

Size of Door	P	er Door
8'0"x7'0"	1¾"	\$22.55
8'0"x8'0"	1¾"	26.00
9'0"x7'0"	1 3/4 "	25.80
9'0"x8'0"	134"	29.80

GARAGE DOOR No. 301

Single doors for parallel sliding or for use with Overhead Hardware. Other sizes and designs made on order.

Size of Door	er Door
8'0"x7'0" 1¾"	\$22.00
8'0"x7'0" 1%"	18.75
16'0"x7'0" 1%"	34.00

GARAGE DOOR No. 302 Two Doors Per Opening

Size of Open	ing	Per Pair
8'0"x7'0"	1¾"	\$14.06
8'0"x6'8"	1¾"	14.06

GARAGE DOOR No. 303 Three Doors Per Opening

Size of Openi	ing	Per Set of	3 Doors
8'0"x7'0"	13/4"	 	\$14.60
8'0"x6'8"	1 3/8",	Stiles	

GARAGE DOORS No. 402 Two Doors Per Opening


Size of Door	S	1	er Pair
7'0"x7'0"	134'	,	614.13
7'6"x7'0"		,	
8'0"x6'8"	134"	·	14.13
8'0"x7'0"	134'	,	14.51
8'0"x7'6"	134'	,	14.75
8'0"x8'0"	134'	,	14.75
8'0"x7'0"	1 3%	'	13.62

GARAGE DOORS No. 403 Three Doors Per Opening

Size of Open	ing	Per Set 3 Doo	rs
7'6"x7'0"	1 3/4 "	\$16.1	4
7'6"x7'6"	1 3/4 "	16.1	4
8'0"x7'0"	134"	16.2	20
8'0"x7'6"	1 3/4 "	16.3	3


GARAGE DOORS No. 404 Four Doors Per Opening

-	Size of Open	ing	Per Set of 4 D					
	8'0"x7'0"	13/4"		\$20.10				
	8′0″x7′6″	1 3/4 "						



1000

GARAGE DOOR No. 301 Single Door




GARAGE DOOR No. 303 Three Doors Per Opening




GARAGE DOORS NO. 403
Three Doors per Opening

Garage Doors and Garage Door Hardware




400

A light weight door strengthened with steel so that it will not sag. Any carpenter can install the door in a few hours after the jamb is set. Plain S4S Jambs required with net opening 8'0"x7'0", with a flat 2x4 on the inside on which the steel weatherstrip is attached. Please write for additional information and details.




No. 39



GARAGE DOOR SET B

Complete Hardware for Three Doors
To Swing In

Per	Set	\$5.75
T GI	Det	φο./ ο



No. 38




A simple overhead type garage door made in one standard size at an economical price.

Plywood Panels are Rezite-coated for protection. Hardware shipped complete in separate carton including all screws, bolts, etc. A keyed lock opens the door from the outside and a handle from the inside. Lock with extension rod holds the door at both sides.

All Doors for 8'-0"x7'-0" Opening

Complete with Hardware and Keyed Lock

Hardware Sets for Garage Doors shown on Page 14




GARAGE DOOR SET A

Complete Hardware for Double Doors
To Swing Out


Per	Set	\$3.2	5



The "Craw-Fir-Dor" requires only 2" head room, and 2" on each side inside the garage. The garage does not need to be any longer than your car. Due to the perfect mechanical balance the door operates so easily that a child can open it.



No. 40



DOUBLE GARAGE SET D


Complete hardware with track, roller hangers, brackets and guides. Specify whether wall or ceiling type brackets wanted.

Per Se	t	.\$11.50
--------	---	----------

Glazed Two-Light Check Rail Windows

MADE OF CLEAR YELLOW FIR, 13/8" INCHES THICK

CUT WITH WOOD AND METAL BARS



400

W700—Glazed S.S. W701—Glazed D.S.



W704—Wood Bars W705—Metal Bars



W720-Wood Bars



W718—Wood Bars W719—Metal Bars

Glass Size of Each Sash Before	Size of Sec	sh Opening	W 700	W 701	704-5	W 704	W 705	720	W 720	W 718	W 719
Division by Bars	Size of Sas	l————	Single Strength	Double Strength	No. of Lights in	Wood	Metal	No. of	Wood	Wood	Metal
	Wide	High	Glass	Glass	Top Sash	Bars	Bars	Lights in	Bars	Bars	Bars
6 x 18. 6 x 20. 6 x 24. 6 x 26.	1' 8" 1' 8" 1' 8" 1' 8"	3′ 6″ 3′ 10″ 4′ 6″ 4′ 10″	\$1.40 1.53 1.66 2.04	\$1.59 1.76 1.95 2.45	4 4 4 4	\$1.72 1.85 2.00 2.40	\$2.63 2.70 2.80 3.20			\$1.73 1.85 2.00 2.40	\$2.76 2.92 3.03 3.43
8 x 18. 8 x 20. 8 x 24. 8 x 26.	1' 10" 1' 10" 1' 10" 1' 10"	3′ 6″ 3′ 10″ 4′ 6″ 4′ 10″	1.55 1.61 1.85 2.16	1.79 1.88 2.24 2.64	4 4 4 4	1.87 1.95 2.20 2.55	2.69 2.77 2.92 3.42			1.98 2.05 2.30 2.65	2.91 2.99 3.16 3.67
0 x 14 0 x 16 0 x 18 0 x 20 0 x 20 0 x 24	2' 0" 2' 0" 2' 0" 2' 0" 2' 0" 2' 0"	2' 10" 3' 2" 3' 6" 3' 10" 4' 6" 4' 10"	1.38 1.53 1.61 1.78 1.98 2.24	1.56 1.76 1.88 2.14 2.40 2.78	6 6 6 6 6 6	1.80 1.95 2.05 2.22 2.42 2.67	2.62 2.70 2.77 2.87 3.15 3.67	8 8 8 8 8	\$2.18 2.33 2.41 2.59 2.78	2.05 2.22 2.42 2.67	2.99 3.10 3.40 3.94
4 x 14. 4 x 16. 4 x 18. 4 x 20. 4 x 24. 4 x 24.	2' 4" 2' 4" 2' 4" 2' 4" 2' 4"	2' 10" 3' 2" 3' 6" 3' 10" 4' 6" 4' 10"	1.59 1.69 1.85 1.98 2.21 2.24	1.83 2.04 2.24 2.40 2.75 2.78	6 6 6 6 6	2.02 2.12 2.30 2.42 2.67 2.70	2.75 2.82 2.92 3.15 3.65 3.82	8 8 8 8 8	2.39 2.49 2.65 2.78 3.01	2.30 2.42 2.67 2.70	3.15 3.40 3.95 4.15
6 x 14 6 x 16 6 x 13 6 x 20 6 x 24 6 x 24	2' 6" 2' 6" 2' 6" 2' 6" 2' 6" 2' 6"	2' 10" 3' 2" 3' 6" 3' 10" 4' 6" 4' 10"	1.64 1.85 1.98 2.04 2.24 2.40	1.90 2.24 2.40 2.51 2.78 2.99	6 6 6 6	2.07 2.30 2.42 2.50 2.70 2.87	2.80 2.92 3.12 3.35 3.82 4.12	8 8 8 8 8	2.44 2.65 2.78 2.84 3.04 3.20	2.42 2.50 2.70 2.87	3.37 3.62 4.15 4.48
S x 14 S x 16 S x 18 S x 20 S x 24 S x 26	2' 8" 2' 8" 2' 8" 2' 8" 2' 8" 2' 8"	2' 10" 3' 2" 3' 6" 3' 10" 4' 6" 4' 10"	1.80 1.90 2.04 2.14 2.40 2.59	2.16 2.33 2.51 2.64 2.99 3.23	6 6 6 6 6	2.25 2.35 2.50 2.60 2.87 3.07	2.90 3.00 3.30 3.55 4.10 4.40	8 8 8 8 8	2.60 2.70 2.84 2.94 3.20 3.39	2.50 2.60 2.87 3.07	3.57 3.85 4.46 4.79
00 x 14 00 x 16 00 x 18 00 x 18 00 x 20 00 x 24 00 x 26	2' 10" 2' 10" 2' 10" 2' 10" 2' 10" 2' 10"	2' 10" 3' 2" 3' 6" 3' 10" 4' 6" 4' 10"	1.88 2.00 2.14 2.24 2.51 2.75	2.26 2.43 2.64 2.78 3.19 3.46	6 6 6 6 6	2.32 2.45 2.60 2.70 3.00 3.25	2.95 3.17 3.47 3.75 4.35 4.70	8 8 8 8	2.94 3.04 3.31 3.55	2.60 2.70 3.00 3.25	3.76 4.08 4.78 5.11
2 x 20 2 x 24 22 x 24 22 x 26 22 x 28 22 x 30	3' 0" 3' 0" 3' 0" 3' 0"	3' 10" 4' 6" 4' 10" 5' 2" 5' 6"	2.69 3.09 3.11 3.56 3.59	3.35 3.88 3.90 4.46 4.49	8 8 8 8	3.35 3.75 3.80 4.25 4.27	4.45 5.15 5.43 5.93 6.24	8 8 8 8 8	3.49 3.89 3.91 4.36 4.39	3.35 3.75 3.80 4.25 4.27	4.79 5.55 5.87 6.39 6.75
36 x 24 36 x 26 36 x 28 36 x 30	3' 4" 3' 4" 3' 4" 3' 4"	4' 6" 4' 10" 5' 2" 5' 6"	3.35 3.59 3.88 3.90	4.20 4.49 4.91 4.94	8 8 8 8	4.05 4.30 4.57 4.60	5.70 6.10 6.58 6.93	8 8 8 8	4.55 4.79 5.08 5.10	4.05 4.30 4.57 4.60	6.15 6.60 7.10 7.49

For sizes of windows not priced in W-718 and 719 use plain two light windows W-709.

For sizes not priced in W-720 use W-718.


For Style W-710 with equal top and bottom sash use price of W-700 and add \$.30.

For Style W-714 with equal top and bottom sash use price of W-700 and add \$.60.

The glass in window W705 is set in %" metal bars with a %" rim forming a light of art glass which is set in sash. Windows W719 have a horizontal %" metal bar set in sash, in which the glass is set. Other sizes can be furnished at proportional prices.

Glazed Two-Light Check Rail Windows MADE OF CLEAR YELLOW FIR, 1%" INCHES THICK TOP SASH CUT WITH WOOD AND

TOP SASH CUT WITH WOOD AND METAL BARS



W708—Glazed S.S. W709-Glazed D.S.



-Wood Bars W710-W711-Metal Bars



W712-Wood Bars W713-Metal Bars



W714—Wood Bars W715-Metal Bars

Glass	Size of Sas	sh Opening	W 708	W 709		W 710	W 711	<u> </u>	W 712	W 713	W 714	W 71
Top	Wide	High	Single Strength Glass	Double Strength Glass	No. of Lights in Top Sash	Wood Bars	Metal Bars	No. of Lights in Top Sash	Wood Bars	Metal Bars	Wood Bars	Meta Bars
16 x 18	1' 8"	3′ 10″	\$1.68	\$2.05	3	\$2.12	\$3.06	4 4 4	\$2.08	\$3.06	\$2.27	\$3.29
16 x 18	1' 8"	4′ 6″	1.89	2.36	3	2.34	3.31		2.29	3.31	2.49	3.54
16 x 18	1' 8"	4′ 10″	2.01	2.53	3	2.46	3.45		2.40	3.45	2.61	3.68
18 x 18	1' 10"	3′ 10″	1.86	2.28	3	2.30	3.19	6	2.46	3.19	2.46	3.41
18 x 18	1' 10"	4′ 6″	2.05	2.58	3	2.50	3.42	6	2.69	3.42	2.65	3.64
18 x 18	1' 10"	4′ 10″	2.18	2.72	3	2.63	3.56	6	2.74	3.56	2.78	3.78
20 x 18	2' 0"	3′ 10″	1.94	2.36	3	2.39	3.24	6	2.51	3.24	2.54	3.56
20 x 18	2' 0"	4′ 6″	2.14	2.66	3	2.59	3.45	6	2.72	3.45	2.74	3.67
20 x 18	2' 0"	4′ 10″	2.28	2.86	3	2.73	3.64	6	2.91	3.64	2.88	3.86
24 x 18	2' 4"	3′ 10″	2.16	2.61	4	2.76	3.34	6	2.72	3.34	2.76	3.57
24 x 18	2' 4"	4′ 6″	2.44	2.91	4	3.03	3.56	6	2.94	3.56	3.04	3.79
24 x 18	2' 4"	4′ 10″	2.63	3.26	4	3.23	3.85	6	3.23	3.85	3.23	4.08
26 x 18	2' 6"	3′ 10″	2.28	2.86	4 4 4	2.88	3.56	8	3.10	3.56	2.98	3.81
26 x 18	2' 6"	4′ 6″	2.64	3.24		3.24	3.85	8	3.39	3.85	3.34	4.10
26 x 18	2' 6"	4′ 10″	2.91	3.67		3.51	4.21	8	3.75	4.21	3.61	4.46
28 x 18	2' 8"	3′ 10″	2.36	3.09	4	2.97	3.81	8	3.29	3.81	3.06	4.08
28 x 18	2' 8"	4′ 6″	2.68	3.32	4	3.29	4.00	8	3.48	4.00	3.39	4.27
28 x 18	2' 8"	4′ 10″	2.96	3.79	4	3.56	4.37	8	3.85	4.37	3.65	4.64
30 x 18	2' 10"	3′ 10″	2.51	3.24	5	3.26	4.01	8	3.39	4.01	3.21	4.30
30 x 18	2' 10"	4′ 6″	2.94	3.68	5	3.71	4.36	8	3.74	4.36	3.66	4.65
30 x 18	2' 10"	4′ 10″	3.16	4.10	5	3.91	4.69	8	4.07	4.69	3.87	4.98
32 x 18	3' 0"	3′ 0″	2.76	3.56	5	3.51	4.43	8	3.65	4.43	3.45	4.73
32 x 18	3' 0"	4′ 6″	3.16	3.91	5	3.91	4.70	8	3.92	4.70	3.86	5.00
32 x 18	3' 0"	4′ 10″	3.33	4.16	5	4.08	4.89	8	4.11	4.89	4.03	5.19
	16 x 18 16 x 18 16 x 18 18 x 18 18 x 18 18 x 18 20 x 18 20 x 18 20 x 18 24 x 18 24 x 18 24 x 18 25 x 18 26 x 18 26 x 18 28 x 18 28 x 18 28 x 18 28 x 18 28 x 18 28 x 18 29 x 18 20 x 18 21 x 18 22 x 18 23 x 18 24 x 18 25 x 18 26 x 18 27 x 18 28 x 18 29 x 18 20 x 18 20 x 18 21 x 18 22 x 18 23 x 18 24 x 18 25 x 18 26 x 18 27 x 18 28 x 18 28 x 18 28 x 18 29 x 18 20 x 18 20 x 18 21 x 18 22 x 18 23 x 18 24 x 18 27 x 18 28	Top Wide 16 x 18 1' 8" 16 x 18 1' 8" 16 x 18 1' 8" 18 x 18 1' 10" 18 x 18 1' 10" 18 x 18 1' 10" 20 x 18 2' 0" 20 x 18 2' 0" 24 x 18 2' 4" 24 x 18 2' 4" 24 x 18 2' 6" 26 x 18 2' 6" 28 x 18 2' 6" 28 x 18 2' 8" 30 x 18 2' 10" 30 x 18 2' 10" 30 x 18 3' 0" 32 x 18 3' 0"	Top Wide High 16 x 18 1' 8" 3' 10" 4' 6" 6" 16 x 18 1' 8" 4' 10" 18 x 18 1' 8" 4' 10" 18 x 18 1' 10" 4' 6" 4' 10" 20 x 18 2' 0" 4' 10" 20 x 18 2' 0" 4' 6" 4' 6" 20 x 18 2' 0" 4' 6" 4' 6" 24 x 18 2' 4" 4' 6" 4' 6" 24 x 18 2' 4" 4' 6" 4' 10" 26 x 18 2' 6" 3' 10" 4' 6" 26 x 18 2' 6" 4' 10" 28 x 18 2' 6" 4' 10" 28 x 18 2' 8" 4' 10" 28 x 18 2' 8" 4' 10" 29 x 18 2' 8" 4' 10" 20 x 18 2' 6" 4' 6" 3' 10" 4' 6" 6" 4' 6" 6" 6" 6" 6" 6" 6" 6" 6" 6" 6" 6" 6"	Glass Size of Sash Opening Single Strength Glass 16 x 18 1/ 8" 3/ 10" 5168 16 x 18 1/ 8" 4/ 6" 1.89 16 x 18 1/ 8" 4/ 10" 2.01 3/ 10" 51.68 1.89 16 x 18 1/ 8" 4/ 10" 2.01 18 x 18 1/ 10" 3/ 10" 1.86 18 x 18 1/ 10" 4/ 6" 2.05 18 x 18 1/ 10" 4/ 10" 2.18 2.05 18 2/ 0" 3/ 10" 1.94 20 x 18 2/ 0" 4/ 6" 2.14 20 x 18 2/ 0" 4/ 10" 2.28 20 x 18 2/ 0" 4/ 10" 2.28 2/ 4" 3/ 10" 2.28 24 x 18 2/ 4" 4/ 10" 2.28 2/ 4" 4/ 10" 2.63 26 x 18 2/ 6" 4/ 10" 2.63 2/ 6" 4/ 6" 2.91 26 x 18 2/ 6" 4/ 10" 2.63 2/ 6" 4/ 6" 2.91 26 x 18 2/ 6" 4/ 10" 2.63 2/ 6" 4/ 6" 2.91 28 x 18 2/ 8" 4/ 6" 2.91 2/ 6" 2.64 26 x 18 2/ 8" 4/ 6" 2.91 2/ 6" 2.96 30 x 18 2/ 8" 4/ 10" 2.96 2.96 30 x 18 2/ 10" 3/ 10" 2.96 2.96 30 x 18 2/ 10" 4/ 6" 2.94 2.94 30 x 18 2/ 10" 4/ 6" 2.94 2.94 30 x 18 2/ 10" 4/ 6" 2.94 2.94 32 x 18 3/ 0" 4/ 6" 3.16 3/ 0" 4/ 6" 3.16	Top	Class	Top	Top Wide High Single Strength Glass Size of Sash Opening Single Strength Glass Strength Glass Strength Glass Strength Glass Strength Top Sash Bars	Top Wide High Strength Glass Size of Sash Opening Single Strength Glass Double Strength Glass Double Strength Glass No. of Lights in Top Sash	Top	Top Wide High Sirength Glass Double Strength Glass Size of Sash Opening	Top Wide High Strength Glass Double

Three Light Windows

Size of Glass Top and Bottom Sash	Size of Window Opening	Price Each Wood Bars
20" x 12"/24"	2' 0" x 3' 6"	\$1.90
x 14"/28"	x 4' 0"	2.15
x 16"/32"	x 4' 6"	2.40
24" x 12"/24"	2' 4" x 3' 6"	2.13
x 14"/28"	x 4' 0"	2.28
x 16"/32"	x 4' 6"	2.70
26" x 12"/24"	2' 6" x 3' 6"	2.18
x 14"/28"	x 4' 0"	2.55
x 16"/32"	x 4' 6"	2.80
30" x 12"/24"	2' 10" x 3' 6"	2,43
x 14"/28"	x 4' 0"	2.78
x 16"/32"	x 4' 6"	3.13
32" x 12"/24"	3' 0" x 3' 6"	2.95
32" x 12"/24" x 14"/28"	x 4' 0"	3.28
x 16"/32"	x 4' 6"	3.50
36" x 12"/24"	3' 4" x 3' 6"	3.18
x 14"/28"	x 4' 0"	3.53
x 16"/32"	x 4' 6"	3.83



W721-Wood Bars SASH BALANCES

We carry in stock two types of spring Sash Balances. See Page 48 for information. Sash Stiles grooved for Grand Rapids Sash Balance add per window \$0.40.

PREFIT WINDOWS

We can furnish any of the windows listed on these pages prefitted to exact size and the bottom rails beveled for \$0.40 per window. This saves considerable carpenter labor and insures better operating windows due to this being done by machines.

If we furnish the frames we size the windows to net size as specified in "Size of Opening." Our frames are made oversize in width to allow the necessary clearance. No deviations will be made from these sizes unless ordered otherwise.

SASH WEIGHTS

Sizes from 3 to 91/2 pounds by half pounds and from 10 to 25 pounds by pounds. If ordered with windows we will weigh the windows and send the correct size.

Per Pound

SASH CORD

Solid Braided Cotton put up in bundles of 100 feet. One bundle will hang five average size windows.

	Per Ha	Ink
No. 7	\$1 .	00
No. 8	1.	25

Glazed Casement Sash
MADE OF CLEAR YELLOW FIR, 1% INCHES THICK
WOOD BARS




4 Dai

S750 Glazed S.S. S751 Glazed D.S.



S752 Wood Bars S753 Metal Bars



S754 Wood Bars S755 Metal Bars




S756 Wood Bars S757 Metal Bars



S758 Wood Bars S759 Metal Bars

SIZE SASH OF	S 750	S 751	S 752	S 753	S 754	S 755	S 756	S 757	S 758	S 759
	Single	Double	Wood	Metal	Wood	Metal	Wood	Metal	Wood	Metal
	Strength	Strength	Bars							
1' 6" x 3' 0"	\$1.10	\$1.25	\$1.60	\$2.07	\$2.05	\$2.60	\$1.55	\$2.36	\$4.15	\$5.15
1' 6" x 3' 6"	1.29	1.56	1.79	2.65	2.19	3.00	1.69	2.71	4.29	6.04
1' 6" x 4' 0"	1.42	1.72	1.92	2.75	2.33	3.45	1.83	3.13	4.43	6.99
1' 6" x 4' 6"	1.72	2.05	2.22	3.10	2.56	3.93	2.06	3.56	4.66	7.94
1' 8" x 3' 0"	1.17	1.43	1.67	2.30	2.15	2.89	1.65	2.64	4.25	5.82
1' 8" x 3' 6"	1.41	1.74	1.91	3.03	2.31	3.34	1.81	3.03	4.41	6.82
1' 8" x 4' 0"	1.55	1.91	2.05	3.10	2.44	3.85	1.94	3.48	4.54	7.88
1' 8" x 4' 6"	1.82	2.16	2.32	3.45	2.80	4.38	2.30	3.96	4.90	8.96
1' 10" x 3' 0"	1.22	1.54	1.72	2.65	2.18	3.18	1.68	2.88	4.28	6.48
1' 10" x 3' 6"	1.54	1.88	2.04	3.25	2.38	3.70	1.88	3.34	4.48	7.62
1' 10" x 4' 0"	1.80	2.14	2.30	3.40	2.65	4.25	2.15	3.84	4.75	8.97
1' 10" x 4' 6"	2.38	2.37	2.55	3.82	2.96	4.84	2.46	4.36	5.06	9.99
2' 0" x 3' 0"	1.38	1.73	1.88	2.80	2.35	3.48	1.85	3.14	4.45	7.14
	1.74	2.15	2.24	3.60	2.58	4.04	2.08	3.64	4.68	8.40
	1.90	2.29	2.30	3.73	2.89	4.65	2.39	4.19	4.89	9.69
	2.25	2.60	2.75	4.20	3.06	5.28	2.56	4.75	5.16	11.00



USE STORM SASH OR WINTER WINDOWS FOR COMFORT AND ECONOMY. SAVINGS UP TO 20 PER CENT IN FUEL.


In addition to the sizes shown we make Storm Sash to fit any size opening. Send list of sizes wanted for

Metal Covers for Ventilation Slots (Cadmium Finish). Each......\$0.20

Glazed Storm Sash

1 1/16 Inches Thick

Size of Glass	Size of Sash	Per	Size of Glass	Size of Sash	Per
Inches	Wd. Hgt.	Sash	Inches	Wd. Hgt.	Sash
16 x 18	1' 8"x3' 7"	\$1.83	26 x 20	2' 6"x3'11"	\$2.47
16 x 20	1' 8"x3'11"	1.95	26 x 24	2' 6"x4' 7"	2.65
16 x 24	1' 8"x4' 7"	2.11	26 x 26	2' 6"x4'11"	2.77
16 x 26	1' 8"x4'11"	2.35	26 x 28	2' 6"x5' 3"	3.01
16 x 28	1' 8"x5' 3"	2.45	26 x 30	2' 6"x5' 7"	3.23
16 x 30	1' 8"x5' 7"	2.55			
18 x 18	1'10"x3' 7"	1.95	28 x 14 28 x 16	2' 8"x2'11" 2' 8"x3' 3"	2.45
18 x 20	1'10"x3'11"	2.05	28 x 18	2' 8"x3' 7"	2.63
18 x 24	1'10"x4' 7"	2.35	28 x 20	2' 8"x3'11"	2.77
18 x 24 18 x 26	1'10"x4'11"	2.47	28 x 20 28 x 24	2' 8"x4' 7"	2.85
	1'10"x5' 3"	2.55			3.01
18 x 28	1'10"x5 3" 1'10"x5' 7"	2.73	28 x 26	2' 8"x4'11"	
18 x 30	1.10"x9. 1"	4.10	28 x 28 28 x 30	2' 8"x5' 3" 2' 8"x5' 7"	3.15
20 x 14	2' 0"x2'11"	1.83	20 X 50	2 0 30 7	
20×16	2' 0"x3' 3"	1.87	30 x 14	2'10"x2'11"	2.55
20 x 18	2' 0"x3' 7"	1.97	30 x 16	2'10"x3' 3"	2.55
20×20	2' 0"x3'11"	2.13	30 x 18	2'10"x3' 7"	2.73
20 x 24	2' 0"x4' 7"	2.35	30 x 20	2'10"x3'11"	2.77
20 x 26	2' 0"x4'11"	2.47	30 x 24	2'10"x4' 7"	2.95
20 x 28	2' 0"x5' 3"	2.55	30 x 26	2'10"x4'11"	3.23
20×30	2' 0"x5' 7"	2.77	30 x 28	2'10"x5' 3"	3.31
			30 x 30	2'10"x5' 7"	3.55
24 x 14	2' 4"x2'11"	2.13			
24 x 16	2' 4"x3' 3"	2.17	32 x 20	3' 0"x3'11"	3.07
24 x 18	2' 4"x3' 7"	2.23	32 x 24	3' 0"x4' 7"	3.43
24 x 20	2' 4"x3'11"	2.31	32 x 26	3' 0"x4'11"	3.45
24 x 24	2' 4"x4' 7"	2.57	32 x 28	3' 0"x5' 3"	3.85
24 x 26	2' 4"x4'11"	2.63	32 x 30	3' 0"x5' 7"	3.97
24 x 28	2' 4"x5' 3"	2.77			
24 x 30	2' 4"x5' 7"	1.95	36 x 20	3' 4"x3'11"	3.33
26 x 14	2' 6"x2'11"	2.17	36 x 24 36 x 26	3' 4"x4' 7" 3' 4"x4'11"	3.55
26 x 16	2' 6"x3' 3"	2.35	36 x 28	3' 4"x5' 3"	4.23
26 x 18	2' 6"x3' 7"	2.45	36 x 30	3' 4"x5' 7"	4.35



STORM SASH FASTENERS AND ADJUSTERS

Two in a set. Per set.....

DIRECTIONS FOR ORDERING STORM SASH

In ordering give us the size of the glass, if the top and bottom are different, the size of each; the number of lights in the sash or window they are to protect, and also the outside measure of the storm sash. If there is any doubt, draw a sketch.

Remember to always give the width first, then the height.

For Ventslots in Bottom Rail add \$0.10.


For Rabbeting 1½" Storm Sash to fit ¾" Casing add \$0.30.


Modern Casement and View Sash

4 LIGHTS HIGH









S-780 Wood Bars S-781 Metal Bars

400

S-782 Wood Bars S-783 Metal Bars

S-784 Wood Bars S-785 Metal Bars

S-786 Wood Bars S-787 Metal Bars

S-787 Metal Bars

\$13.52 14.40 14.72 15.44

14.08 14.96 15.44 16.40

14.40 15.44 16.16 17.04

S-786 Wood Bars

\$9.44 10.32 10.64 11.36

10.00 10.88 11.36 12.32

10.32 11.36 12.08 12.96

No. of Lights

Size of Sash	No. of Lights	S-780 Wood Bars	S-781 Zinc Bars	Size of Sash	No. of Lights	S-782 Wood Bars	S-783 Metal Bars	Size of Sash	No. of Lights	S-784 Wood Bars	S-785 Metal Bars	Size of Sash
1' 8" x 4' 0" 1' 8" x 4' 6" 1' 8" x 5' 0" 1' 8" x 5' 6"	4 4 4 4	\$2.06 2.39 2.61 2.78	\$2.89 3.14 3.36 3.53	4'0" x 4'0" 4'0" x 4'6" 4'0" x 5'0" 4'0" x 5'6"	8 8 8 8	\$5.09 6.09 6.38 6.51	\$6.95 7.95 8.24 8.37	5' 6" x 4' 0" 5' 6" x 4' 6" 5' 6" x 5' 0" 5' 6" x 5' 6"	12 12 12 12 12	\$7.44 8.46 9.36 9.60	\$10.41 11.43 12.33 12.57	7' 0" x 4' 0" 7' 0" x 4' 6" 7' 0" x 5' 0" 7' 0' x 5' 6'
2' 0" x 4' 0" 2' 0" x 4' 6" 2' 0" x 5' 0" 2' 0" x 5' 6"	4 4 4 4	2.59 2.38 3.14 3.32	3.34 3.63 3.89 4.07	4' 6" x 4' 0" 4' 6" x 4' 6" 4' 6" x 5' 0" 4' 6" x 5' 6"	8 8 8 8	6.09 6.93 6.96 7.09	7.95 8.79 8.82 8.95	6' 0" x 4' 0" 6' 0" x 4' 6" 6' 0" x 5' 0" 6' 0" x 5' 6"	12 12 12 12 12	7.98 8.82 9.36 10.00	10.95 11.79 12.33 13.05	7' 6" x 4' 0" 7' 6" x 4' 6" 7' 6" x 5' 0" 7' 6" x 5' 6"
2' 4" x 4' 0" 2' 4" x 4' 6" 2' 4" x 5' 0" 2' 4" x 5' 6"	4 4 4 4	2.78 3.13 3.47 3.67	3.53 3.88 4.22 4.42	5' 0" x 4' 0" 5' 0" x 4' 6" 5' 0" x 5' 0" 5' 0" x 5' 6"	8 8 8 8	6.38 6.96 7.13 7.16	8.17 8.82 8.99 9.02	6' 6" x 4' 0" 6' 6" x 4' 6" 6' 6" x 5' 0" 6' 6" x 5' 6"	12 12 12 12 12	8.46 9.60 10.38 11.22	11.37 12.57 13.35 14.19	8' 0" x 4' 0" 8' 0" x 4' 6" 8' 0" x 5' 0" 8' 0" x 5' 6"
2' 8" x 4' 0" 2' 8" x 4' 6" 2' 8" x 5' 0" 2' 8" x 5' 6"	4 4 4 4	3.03 3.59 3.94 3.99	3.78 4.34 4.69 4.74	All V	netal bars	ood bars s set in th	used in the	hese sash are ¾/″ b Sash S783, S785, ar	etween gl nd S787 h	ass, the ave 1" be	horizontal etween gla	bars ¾" betwee ss vertical wood

petween glass. Sash S761 have I wood bars and 5%" flat metal

2 & 3 LIGHTS HIGH—WOOD BARS







S-771



S-772

Size of Sash

4'0" x 3'6" 4'0" x 4'0" 4'0" x 4'6"

5'0" x 3'6" 5'0" x 4'0" 5'0" x 4'6"




S-773

No. of Lights

S-772

Wood Bars

\$4.50 4.79 5.79



S-774 Crystal S-775 Plate

S-773

Wood Bars

7.53 8.37

8.39 9.27

10.95 11.49 12.54

11.67 13.02 13.98

No. of Lights

S-774 1-Light Crystal Sheet

11.08 12.40

12.03 13.48 15.10

17.20 18.81 20.71

17.23 19.08 22.06

Size of Sash	No. of Lights	S-770 Wood Bars	S-771 Wood Bars
1' 8" x 2' 10"	2	\$1.44	
1' 8" x 3' 0"	2 & 3	1.49	\$1.29
1'8" x 3' 6"*	3 3		1.45
1'8" x 4' 0"*	3		1.63
1'8" x 4' 6"	3		2.29
2'0" x 2' 10"	2	1.70	
2'0" x 3' 0"	2	1.81	
2' 0" x 3' 6"*	3		1.66
2' 0" x 4' 0"*	3		1.78
2'0" x 4' 6"*	2 2 3 3 3		1.95
2' 4" x 2' 10"	2	1.86	
2'4" x 3' 0"	2	2.02	
2' 4" x 3' 6"*	2 2 3 3		1.84
2' 4" x 4' 0"*	3		2.01
2' 4" x 4' 6"*	3		2.10
2' 10" x 2' 10"	2	2.27	
2' 10" x 3' 0"	2	2.31	2.47
2' 10" x 3' 6"*	2 2 3 3 3 3		2.15
2'10" x 3' 6"* 2'10" x 4' 0"*	3		2.33
2' 10" x 4' 6"*	3		2.51

	NOTE		
 41	 and a selected	*	 :

No. of Lights

3 3* 3*

Sash that are marked * are in stock for immediate shipment. The price is lower than other sizes.

S-771 Wood Bars

\$4.32 2.98 3.38

Size of Sash

6'0" x 3'6" 6'0" x 4'0" 6'0" x 4'6"

7'0" x 3'6" 7'0" x 4'0" 7'0" x 4'6"

FRAMES

For Frames for these sash see pages 26 and 29. If Triple View Sash Frames are wanted, select the size of the center sash and the side sash to match and figure a frame the full width of the combined sizes and add for each mullion bar \$1.55.

PREFIT SASH
We can furnish any of the sash listed Prefit to Exact Size with beveled bottom rails for \$0.25 per sash.

S-775

1-Light Plain

Plate

24.85 28.08

29.08 33.75

33.99 37.63 41.54

38.65 43.08 44.14



NINE LIGHT SASH
S625

1	1% Inches Thick				
Size of Glass	Size of Sash	Per Sash			
8" x 10" 10" x 12"	2' 4" x 3' 0" 2' 10" x 3' 6"	\$1.49 1.84			
10" x 14" 12" x 14"	2' 10" x 4' 0" 2' 4" x 4' 0"	2.04			
12 X 14	2 4 X 4 U	2.33			



FOUR LIGHT SASH

S629 1% Inches Thick

Size of Glass	Size of Sash	Per Sash
8" x 10"	1' 8" x 2' 1"	\$0.82
9" x 12"	1' 10" x 2' 5"	.92
10" x 12"	2' 0" x 2' 5"	.96
10" x 14"	2' 0" x 2' 9"	1.04
10" x 16"	2' 0" x 3' 1"	1.22
12" x 14"	2' 4" x 2' 9"	1.22
12" x 16"	2' 4" x 3' 1"	1.32



TWELVE LIGHT WINDOWS W633

1 1/8 Inc	ches Thick, Pla	in Rail
Size of	Size of	Per
Glass	Opening	Window
8" x 10"	2' 4" x 3' 10"	\$2.09
10" x 12"	2' 10" x 4' 6"	2.57
10" x 14"	2' 10" x 5' 2"	2.97

10" x 12" 10" x 14"	2' 10" x 4' 6" 2' 10" x 5' 2"	2.57
13/8 In	ches Thick, Chec	k Rail
Size of Glass	Size of Opening	Per Window
8" x 10" 10" x 12" 10" x 14" 12" x 14"	2' 4" x 3' 10" 2' 10" x 4' 6" 2' 10" x 5' 2" 3' 4" x 5' 2"	\$2.41 2.88 3.02 3.58

Glazed Sash, Wood Bars



SIX LIGHT CASEMENT SASH S626

1% Inches Thick

Size of Glass	Size of Sash	Per Sash
8" x 10"	1' 8" x 3' 0"	\$1.16
9" x 12"	1'10" x 3'6"	1.36
10" x 12"	2' 0" x 3' 6"	1.44
10" x 14"	2' 0" x 4' 0"	1.60
12" x 14"	2' 4" x 4' 0"	1.93



EIGHT LIGHT SASH S627

136 Inches Thick

1% Inches Thick								
Size of	Size of	Per						
Glass	Sash	Sash						
8" x 10"	1' 8" x 3' 10"	\$1.62						
10" x 12"	2' 0" x 4' 6"	1.93						
10" x 14"	2' 0" x 5' 2"	2.10						
12" x 14"	2' 4" x 5' 2"	2.47						



TWELVE LIGHT SASH S628

1% Inches Thick

Size of Glass	Size of Sash	Per Sash
8" x 10"	2' 4" x 3' 10"	\$1.38
10" x 12"	2'10" x 4' 6"	2.39
10" x 14"	2'10" x 5' 2"	2.62
12" x 14"	3' 4" x 5' 2"	3.09



THREE LIGHT BASEMENT SASH S631

Size of Glass	Size of Sash	Per Sash	Size of Glass	Size of Sash	Per Sash
8" x 10" 9" x 12" 10" x 12"	2' 4" x 1' 3" 2' 7" x 1' 5" 2' 10" x 1' 5"	\$0.74 .83 .88	10" x 20" 12" x 14" 12" x 16"	2'10" x 2' 1" 3' 4" x 1' 7" 3' 4" x 1' 9"	\$1.18 1.14 1.18
10" x 14" 10" x 16" 10" x 18"	2'10" x 1' 7" 2'10" x 1' 9" 2'10" x 1'11"	.94 1.07 1.12	12" x 18" 12" x 20"	3' 4" x 1' 11" 3' 4" x 2' 1"	1.27 1.33



ONE-LIGHT SASH S624

Size of Glass	Size of Sash	Per	Size of Glass	Size of Sash	Per
Inches	Width Height	Sash	Inches	Width Height	Sash
16 x 18	1' 8" x 1' 11"	.86	24 x 18	2' 4" x 1' 11"	\$1.08
16 x 20 16 x 24	1' 8" x 2' 1" 1' 8" x 2' 5"	.86	24 x 20	2' 4" x 2' 1" 2' 4" x 2' 5"	1.08
16 x 24 16 x 30	1' 8" x 2' 11"	1.00 1.16	24 x 24 24 x 26	2' 4" x 2' 5" 2' 4" x 2' 7"	1.20 1.34
18 x 18	1' 10" x 1' 11"	.93	24 x 28	2' 4" x 2' 9"	1.35
18 x 20	1' 10" x 2' 1"	.96	24 x 30	2' 4" x 2' 11"	1.45
18 x 24	1' 10" x 2' 5"	1.08	24 x 32	2' 4" x 3' 1"	1.68
18 x 30	1' 10" x 2' 11"	1.28	24 x 36	2' 4" x 3' 5"	1.80
18 x 32	1' 10" x 3' 1"	1.31	30 x 16	2'10" x 1' 9"	1.16
18 x 36	1' 10" x 3' 5"	1.46	30 x 18	2'10" x 1'11"	1.28
20 x 16	2' 0" x 1' 9"	.86	30 x 20	2'10" x 2' 1"	1.31
20 x 18	2' 0" x 1' 11"	.96	30 x 32	2'10" x 3' 1"	1.91
20 x 20	2' 0" x 2' 1"	.98	30 x 36	2'10" x 3' 5"	2.10
20 x 24	2' 0" x 2' 5"	1.08	32 x 16	3' 0" x 1' 9"	1.25
20 x 26	2' 0" x 2' 7"	1.24	32 x 18	3' 0" x 1' 11"	1.31
20×28	2' 0" x 2' 9"	1.28	32 x 20	3' 0" x 2' 1"	1.45
20 x 30	2' 0" x 2' 11"	1.31	32 x 24	3' 0" x 2' 5"	1.68
20 x 32	2' 0" x 3' 1"	1.45	32 x 26	3' 0" x 2' 7"	1.69
20 x 36	2' 0" x 3' 5"	1.58	32 x 28	3' 0" x 2' 9"	1.90
24 x 16	2' 4" x 1' 9"	1.00	32 x 30	3' 0" x 2' 11"	1.91



SIX LIGHT STANDARD SASH S630

1% Inches Thick

Size of Glass	Size of Sash	Per Sash
8" x 10"	2' 4" x 2 1	\$1.08
9" x 12"	2' 7" x 2' 5"	1.22
10" x 12"	2' 10" x 2' 5"	1.28
10" x 14"	2' 10" x 2' 9"	1.40
10" x 16"	2' 10" x 3' 1"	1.70
12" x 14"	3' 4" x 2' 9"	1.74
12" x 16"	3 4" x 3' 1"	1.86




HOT BED SASH S632

1% Inches Thick

3 Rows 10" Glass

Size of Sash	Open	Glazed		
3' 0" x 3' 4"	\$1.00	\$2.71		
3' 0" x 4' 0"	1.25	2.85		
3' 0" x 6' 0"	1.50	3.43		



Casement Sash Units

Standard Sizes and Designs COST LESS

USE

COMPLETE STOCK UNITS

SASH, WINDOW and DOOR



S 50

OPENINGS These complete stock units are offered to make it

easy and economical for the home builder to select his millwork. Each unit consists of all the millwork necessary for one opening: frame, door, window or sash and inside trim.

Each unit consists of No. 400 Sash Frame, knock down, 1%-inch sash with wood bars and 31/2-inch moulded trim. Frame No. 402 furnished for same price. See page 27 for detail.







S 51

SASH UNIT S 51

Number	Size of Glass	Size of Sash Opening	Single Per Unit	Rough Opening Required	Twin Per Unit	Rough Opening Required	Triple Per Unit	Rough Opening Required
S 51 A S 51 B S 51 C S 51 D S 51 E	8" x 10" 6 lts. 9" x 12" 6 lts. 10" x 12" 6 lts. 10" x 14" 6 lts. 12" x 14" 6 lts.	1' 8" x 3' 0" 1' 10" x 3' 6" 2' 0" x 3' 6" 2' 0" x 4' 0" 2' 4" x 4' 0"	\$4.44 4.75 4.81 5.34 5.86	1' 11" x 3' 4" 2' 1" x 3' 10" 2' 3" x 3' 10" 2' 3" x 4' 4" 2' 7" x 4' 4"	\$8.09 8.87 8.99 9.69 10.59	3′ 8½″ x 3′ 4″ 4′ 0½″ x 3′ 10″ 4′ 4½″ x 3′ 10″ 4′ 4½″ x 3′ 10″ 4′ 4½″ x 4′ 4″ 5′ 0½″ x 4′ 4″	\$11.31 12.76 12.94 13.81 15.14	5' 6" x 3' 4" 6' 0" x 3' 10" 6' 6" x 3' 10" 6' 6" x 4' 4" 7' 6" x 4' 4"




S 52

SASH UNIT S 52

Number	Size of Glass	Size of Sash Opening	Single Per Unit	Rough Opening Required	Twin Per Unit	Rough Opening Required	Triple Per Unit	Rough Opening Required
S 52 A	8" x 10" 8 lts.	1' 8" x 3' 10"	\$5.34	1' 11" x 4' 2"	\$ 9.41	3' 8½" x 4' 2"	\$11.01	5' 6" x 4' 2"
S 52 B	10" x 12" 8 lts.	2' 0" x 4' 6"	5.90	2' 3" x 4' 10"	10.73	4' 4½" x 4' 10"	12.98	6' 6" x 4' 10"
S 52 C	10" x 14" 8 lts.	2' 0" x 5' 2"	6.30	2' 3" x 5' 6"	11.31	4' 4½" x 5' 6"	13.56	6' 6" x 5' 6"
S 52 D	12" x 14" 8 lts.	2' 4" x 5' 2"	6.75	2' 7" x 5' 6"	12.10	5' 0½" x 5' 6"	14.58	7' 6" x 5' 6"

SASH UNIT S 53

Number	Size of Glass	Size of Sash Opening	Single Per Unit	Rough Opening Required	Twin Per Unit	Rough Opening Required	Triple Per Unit	Rough Opening Required
S 53 A	20" x 10" 3 lts.	2' 0" x 3' 0"	\$5.05	2' 3" x 3' 4"	\$9.49	4' 4½" x 3' 4"	\$13.70	6' 6" x 3' 4"
S 53 B	20" x 12" 3 lts.	2' 0" x 3' 6"	5.43	2' 3" x 3' 10"	10.20	4' 4½" x 3' 10"	14.73	6' 6" x 3' 10"
S 53 C	20" x 12" 4 lts.	2' 0" x 4' 6"	6.61	2' 3" x 4' 10"	12.15	4' 4½" x 4' 10"	17.46	6' 6" x 4' 10"
S 53 D	24" x 10" 3 lts.	2' 4" x 3' 0"	5.40	2' 7" x 3' 4"	10.06	5′ 0½″ x 3′ 4″	14.53	7' 6" x 3' 4"
S 53 E	24" x 12" 3 lts.	2' 4" x 3' 6"	5.91	2' 7" x 3' 10"	11.04	5′ 0½″ x 3′ 10″	16.03	7' 6" x 3' 10"
S 53 F	24" x 12" 4 lts.	2' 4" x 4' 6"	7.14	2' 7" x 4' 10"	13.08	5′ 0½″ x 4′ 10″	18.82	7' 6" x 4' 10"



S 53

SASH HARDWARE SETS

1 consists of: 1 Pair 2½"22½" Cadimium Butts) 1 Casement Fastener, Dull Brass 1 Casement Adjuster, Dull Brass Per Set\$0.85 **S-2** consists of: 1 Pair Reversible Casement Fixtures

Per Set\$0.90 1 Casement Fastener, Dull Brass

FOR SET UP FRAMES ADD-Single \$0.50

Twin \$1.00

Triple \$1.50

Check Rail Window Units

Standard Sizes and Designs COST LESS

USE COMPLETE STOCK UNITS

Each unit consists of No. 400 window frame, knock down, 1%-inch window with wood bars and 3½-inch moulded trim. Frame No. 402 furnished same price. See page 26 for detail.

WINDOW UNIT W 60

Number	Size of Glass	Size of Window Opening	Single Per Unit	Rough Opening Required	Twin Per Unit	Rough Opening Required	Triple Per Unit	Rough Opening Required	Weights and Cord Per Unit
W 60-A	24" x 14" 2 lts.	2' 4" x 2' 10"	\$4.82	2' 10" x 3' 2"	\$9.71	5' 7½ x 3' 2"	\$13.86	8' 5" x 3' 2"	\$0.74
W 60-B	24" x 18" 2 lts.	2' 4" x 3' 6"	5.39	2' 10" x 3' 10"	10.56	5' 7½ x 3' 10"	15.57	8' 5" x 3' 10"	.83
W 60-C	24" x 20" 2 lts.	2' 4" x 3' 10"	5.69	2' 10" x 4' 2"	11.16	5' 7½ x 4' 2"	16.47	8' 5" x 4' 2"	.90
W 60-D	24" x 24" 2 lts.	2' 4" x 4' 6"	6.09	2' 10" x 4' 10"	11.96	5' 7½ x 4' 10"	17.67	8' 5" x 4' 10"	.97
W 60-E	30" x 14" 2 lts.	2' 10" x 2' 10"	5.41	3' 4" x 3' 2"	10.72	6' 7½ x 3' 2"	15.88	9' 11" x 3' 2"	.83
W 60-F	30" x 18" 2 lts.	2' 10" x 3' 6"	5.87	3' 4" x 3' 10"	11.64	6' 7½ x 3' 10"	17.26	9' 11" x 3' 10"	.90
W 60-G	30" x 20" 2 lts.	2' 10" x 3' 10"	6.15	3' 4" x 4' 2"	12.20	6' 7½ x 4' 2"	18.10	9' 11" x 4' 2"	.97
W 60-H	30" x 24" 2 lts.	2' 10" x 4' 6"	6.60	3' 4" x 4' 10"	13.10	6' 7½ x 4' 10"	19.45	9' 11" x 4' 10"	1.04

WINDOW UNIT W 61

Number	Size of Glass	Size of Window Opening	Single Per Unit	Rough Opening Required	Twin Per Unit	Rough Opening Required	Triple Per Unit	Rough Opening Required	Weights and Core Per Unit
W 61-A	24" x 14" 2 lts.	2' 4" x 2' 10"	\$5.00	2' 10" x 3' 2"	\$9.78	5' 7½ x 3' 2"	\$14.40	8' 5" x 3' 2"	\$0.74
W 61-B	24" x 18" 2 lts.	2' 4" x 3' 6"	5.64	2' 10" x 3' 10"	11.06	5' 7½ x 3' 10"	16.32	8' 5" x 3' 10"	.83
W 61-C	24" x 20" 2 lts.	2' 4" x 3' 10"	5.94	2' 10" x 4' 2"	11.66	6' 7½ x 4' 2"	17.22	8' 5" x 4' 2"	.90
W 61-D	24" x 24" 2 lts.	2' 4" x 4' 6"	6.34	2' 10" x 4' 10"	12.46	5' 7½ x 4' 10"	18.42	8' 5" x 4' 10"	.97
W 61-E	30" x 14" 2 lts.	2' 10" x 2' 10"	5.59	3' 4" x 3' 2"	11.08	6' 7½ x 3' 2"	16.42	9' 11" x 3' 2"	.83
W 61-F	30" x 18" 2 lts.	2' 10" x 3' 6"	6.12	3' 4" x 3' 10"	12.14	6' 7½ x 3' 10"	18.01	9' 11" x 3' 10"	.90
W 61-G	30" x 20" 2 lts.	2' 10" x 3' 10"	6.40	3' 4" x 4' 2"	12.70	6' 7½ x 4' 2"	18.85	9' 11" x 4' 2"	.97
W 61-H	30" x 24" 2 lts.	2' 10" x 4' 6"	6.85	3' 4" x 4' 10"	13.60	6' 7½ x 4' 10"	20.20	9' 11" x 4' 10"	1.04

WINDOW UNIT W 62

Number	Size of Glass	Size of Window Opening	Single Per Unit	Rough Opening Required	Twin Per Unit	Rough Opening Required	Triple Per Unit	Rough Opening Required	Weights and Cord Per Unit
W 62-A	8" x 10" 12 lts.	2' 4" x 3' 10"	\$5.71	2' 10" x 4' 2"	\$11.19	5' 712 x 4' 2"	\$16.58	8' 5" x 4' 2"	\$0.90
W 62-B	8" x 12" 12 lts.	2' 4" x 4' 6"	6.11	2' 10" x 4' 10"	11.99	5' 712 x 4' 10"	17.78	8' 5" x 4' 10"	.97
W 62-C	10" x 12" 12 lts.	2' 10" x 4' 6"	6.52	3' 4" x 4' 10"	12.94	6' 712 x 4' 10"	19.21	9' 11" x 4' 10"	1.04

WINDOW UNIT W 64

						•			
Number	Size of Glass Bottom Top	Size of Window Opening	Single Per Unit	Rough Opening Required	Twin Per Unit	Rough Opening Required	Triple Per Unit	Rough Opening Required	Weights and Cord Per Unit Sgl.
W 64-A	20" x 20" 2 lts.	2' 0" x 3' 10"	\$5.65	2' 6" x 4' 2"	\$10.75	4' 11½"x4' 2"	\$15.94	7' 5" x 4' 2"	\$0.68
W 64-B	20" x 24" 2 lts.	2' 0" x 4' 6"	6.00	2' 6" x 4' 10"	11.55	4' 11½"x4' 10"	17.09	7' 5" x 4' 10"	.74
W 64-C	24" x 20" 2 lts.	2' 4" x 3' 10"	6.16	2' 10" x 4' 2"	11.87	5' 7½"x4' 2"	17.56	8' 5" x 4' 2"	.74
W 64-D	24" x 24" 2 lts.	2' 4" x 4' 6"	6.45	2' 10" x 4' 10"	12.43	5' 7½"x4' 2"	18.43	8' 5" x 4' 10"	.86
W 64-E	30" x 20" 2 lts.	2' 10" x 3' 10"	6.51	3' 4" x 4' 2"	12.55	6' 7½"x4' 2"	18.83	9' 11" x 4' 2"	.92
W 64-F	30" x 24" 2 lts.	2' 10" x 4' 6"	6.96	3' 4" x 4' 10"	13.45	6' 7½"x4' 10"	20.18	9' 11" x 4' 10"	.98
W 64-G	32" x 20" 2 lts.	3' 0" x 3' 10"	7.23	3' 6" x 4' 2"	14.11	6' 11½"x4' 2"	20.99	10' 5" x 4' 2"	.92
W 64-H	32" x 24" 2 lts.	3' 0" x 4' 6"	7.80	3' 6" x 4' 10"	15.25	6' 11½"x4' 2"	22.70	10' 5" x 4' 10"	1.04

FOR SET UP FRAMES ADD
Single \$0.50 Twin \$1.00 Triple \$1.50



W 60



W 61



W 62



W 64

Door Units


Outside and Inside

STANDARD SIZES AND DESIGNS COST LESS USE COMPLETE STOCK UNITS

Front and Rear Door Units consist of No. 400 Door Frame, $5\frac{1}{4}$ " Jambs, knock down; Door and $3\frac{1}{2}$ " Moulded Trim for inside. No. 402 Frame furnished at no extra charge.

Inside Door Units consist of 51/4" double rabbeted jamb, door and 31/2" moulded trim for both sides.





FRONT DOOR UNIT-F-71

			Rough Opening	
No.	Size of Door		Required	Per Unit
F 71 A	3'0"x6'8"	134"	3'3"x7'0"	 \$12.77

FRONT DOOR UNIT-F-72

No.	Size of Doo	r	Rough Opening Required	Per Unit
F 72 A	2'8"x6'8"	13%"	2'11"x7'0"	\$10.56
F 72 B	2'8"x6'8"	13/4"	2'11"x7'0"	11.55
F 72 C	3'0"x6'8"	13/4"	3'3"x7'0"	12.15

REAR DOOR UNIT-R-80

No.	Size of Door		Rough Opening Required	Per Unit	t
R 80 A	2'6"x6'6"	13%"	2'9"x6'10"	\$7.75	Ó
R 80 B	2'6"x6'8"	13%"	2'9"x7' 0"	7.82	2
R 80 C	2'8"x6'8"	13%"	2'11"x7'0"	8.05	5
R 80 D	2'8"x6'8"	1 3/4 "	2'11"x7'0"	8.93	3

INSIDE DOOR UNIT-1-90

No.	Size of Door	,	Rough Opening Required	Per	r Unit
I 90 A	2'0"x6'6"	1 3/8"	2'3"x6'10"		\$5.41
I90B	2'4"x6'6"	1 3/8"	2'7"x6'10"		5.49
I 90 C	2'6"x6'6"	1 3/8"	2'9"x6'10"		5.56
I 90 D	2'8"x6'6"	13/8"	2'11"x6'10"		5.63
I 90 E	2'0"x6'8"	13%"	2'3"x7'0" .		5.37
I 90 F	2'4"x6'8"	1 3/8"	2'7"x7'0" .		5.54
I 90 G	2'6"x6'8"	1 3/8"	2'9"x7'0" .		5.59
I 90 H	2'8"x6'8"	1%"	2'11"x7'0"	4	5.68

INSIDE DOOR UNIT-1-91

Per Un	Rough Opening Required	r	Size of Doo	No.
\$5.4	2'3"x6'10"	1%"	2'0"x6'6"	I 91 A
5.6	2'7"x6'10"	1 3/8"	2'4"x6'6"	I 91 B
5.7		1 3/8"	2'6"x6'6"	I 91 C
	2'11"x6'10"	13/8"	2'8"x6'6"	I 91 D
5.5		1 3/8"	2'0"x6'8"	
5.7	2′7″x7′0″	1 3/8"	2'4"x6'8"	
5.7		1 3/8"	2'6"x6'8"	
5.8	2′11″x7′0″	1%"	2'8"x6'8"	I 91 H

HARDWARE

FRONT DOOR SET "A" INSIDE DOOR SET "C"

Consisting	of	er.	Per Set
Nome Fr	ont Do	or Loc	ck
Pair 4"x4	" Dull	Brass	Butts\$7.90

Consisti	ng of		Per Set
Kodiak	Inside	Door	Set-Pair
31/2"x31/2	" Dull	Brass	Butts\$1.60

FRONT DOOR SET "B"


Consisting of Alaska Front Door Lock Pair 4"x4" Dull Brass Butts....\$2.65

INSIDE DOOR SET "D"

Consisting of Per Set Wyoming Inside Door Set—Pair 3½"x3½" Dull Brass Butts.....\$1.00



F-71



R-80



I-91

I-90

F-72


F-70



Prefitted—COMPLETE WINDOW UNITS

Limited Stock Sizes at Reasonable Prices. Sash Fitted to frame ready for installing in the building.

Available in three different combinations to fit your needs and budget.



No. 20 SERIES

Style "A" Unit consists of:

1. Frame No. 400 K.D.
2. Window glazed, Wood Bars
3. Four Sash Balances

Style "B" Unit

consists of:

1. Frame
2. Window
3. Sash Balances

4. Inside trim complete—2½" Casing

Style "C" Unit
consists of:

1. Frame
2. Window
3. Sash Balances

4. Inside Trim

5. Weatherstripping complete.

ORDERING: Give number and style either A, B, or C. Give type of frame, either No. 400 or No. 402.

If wall other than $5\frac{1}{4}$ ", be sure to specify. Give style and size of inside casing.



No. 30 SERIES

"BUDGET" PREFIT WINDOW UNIT No. 20 SERIES

Number Designating Size and Design	Size of Glass Top and Bottom Sash	Size of Window Opening	Rough Opening For Single	Price Single Unit Style "A"	Price Single Unit Style "B"	Price Single Unit Style "C"
$\begin{array}{ccc} {\rm PW} - 20 \\ {\rm PW} - 21 \\ {\rm PW} - 22 \end{array}$	20 x 12/24 20 x 14/28 20 x 16/32	2' 0" x 3' 6"	2' 2½" x 3' 9½" x 4' 3½" x 4' 9½"	\$6.70 7.12 7.52	\$8.80 9.22 9.62	\$9.70 10.20 10.60
PW — 23 PW — 24 PW — 25	24 x 12/24 24 x 14/28 24 x 16/32	2' 4" x 3' 6"	2' 6½" x 3' 9½" x 4' 3½" x 4' 9½"	6.83 7.35 7.92	8.93 9.45 10.02	9.93 10.55 11.12
PW — 26 PW — 27 PW — 28	30 x 12/24 30 x 14/28 30 x 16/32	2' 10" x 3' 6"	3' 0½" x 3' 9½" x 4' 3½" x 4' 9½"	7.60 8.03 8.53	9.70 10.13 10.63	10.70 11.23 11.73

"BUDGET" PREFIT WINDOW UNIT No. 30 SERIES

Number Designating	Size of Glass Top and	Size of Window	Rough Opening	Price Single Unit	Price Single Unit	Price Single Unit
Size and Design	Bottom Sash	Opening	For Single	Style "A"	Style "B"	Style "C"
$rac{{ m PW} - 30}{{ m PW} - 31} \ { m PW} - 32$	20 x 14/14	2' 0" x 2' 10"	2' 2½" x 3' 1½"	\$6.16	\$8.26	\$9.16
	20 x 20/20	x 3' 10"	x 4' 1½"	7.19	9.29	10.27
	20 x 24/24	x 4' 6"	x 4' 9½"	7.55	9.65	10.63
PW — 33	24 x 14/14	2' 4" x 2' 10"	2' 6½" x 3' 1½"	6.37	8.47	9.47
PW — 34	24 x 20/20	x 3' 10"	x 4' 1½"	7.49	9.59	10.69
PW — 35	24 x 24/24	x 4' 6"	x 4' 9½"	7.90	10.00	11.10
PW — 36	30 x 14/14	2' 10" x 2' 10"	3' 0½" x 3' 1½"	6.96	9.06	10.06
PW — 37	30 x 20/20	x 3' 10"	x 4' 1½"	7.95	10.05	11.15
PW — 38	30 x 24/24	x 4' 6"	x 4' 9½"	8.40	10.50	11.60

For twin units figure two singles. For rough opening double window opening and add 4''. For triple units figure three singles. For rough opening, three times window opening and add $5\frac{1}{2}''$.

SPECIFICATIONS

- FRAME—Standard either No. 400 or No. 402 of Old Growth Fir semi-assembled. Jambs rezin sealed, and not to be painted.
- SASH—Made of V. G. Fir, sized to exact size with bottom rail beveled and side stiles grooved for sash balances. Glazed with SS "B" glass.
- BALANCES—Grand Rapids Invisible Spring Balance, fitted to groove in sash. Two screws to insert on the job. Balances adjustable with a screw driver to obtain perfect balance of the sash. See page 48 for details.
- INTERIOR TRIM—Complete trim for the opening consisting of any 2½" casing shown on page 32, stool, stops and apron. Stops have fixed position on frame to give proper allowance for easy operation of the sash.
- WEATHERSTRIPS—The simplest form of weatherstrip known is used. A continuous spring strip of special alloy white metal attached to blind stop and parting bead assures correct tightness of either sash in any position. Spring type strips at sill, check rail and head, forms a complete job, which by actual tests is as efficient as many more expensive types.

Screened Casement Sash

"Slideway"

Screened Sash

Patented December Eleventh, 1934, No. 1983846

Can You Have Swing Out Casement Sash With Screens that are Convenient?

The "Slideway" Screened Casement solves this old problem with the utmost simplicity.

Operation—The Screen equipped with ball-bearing rollers slides on a metal track into a pocket in the wall. The sash can be opened at any angle and the Screen pulled across the opening with one finger. When used with Venetian Blinds, the Screen may be opened or closed by raising the Blinds only a few inches.

It is so easily operated that there is practically no wear on any part, making it last the lifetime of the house. If the Bronze screen wire should be damaged it can easily be re-placed by removing one stop.

placed by removing one stop.

Other Sizes and Designs—The sizes are standard, but other sizes and sash designs or triples can be furnished. Twins or Triples can be fitted with either one or both outside sash screened. Philippine Mahogany trim will be furnished at a slightly higher price.

Storm Sash Combination, Extra—For cold climates or for use with complete air-conditioned houses we can furnish a combination Screen and Storm Sash which is interchangeable in the Sliding Section. Imagine the convenience of replacing the Screen with a Storm Sash in the Fall and having the efficiency of double glass insulation, along with the ability to open your sash at will, on the warmer days of winter. Prices quoted on this combination at your request.

FRAMING SPECIFICATIONS

To frame rough opening for Slideway Screened Casements Width

For Single Sash: A—Width of sash plus three inches. B—Width of sash.

For Twin Sash, With One Screen: A—Combined width of two sash plus four inches. B—Width of one sash.

For Twin Sash, With Two Screens: A—Combined width of two sash plus four inches. B—Width of one sash, on each of A.

Height—Height of sash plus four inches.


COMPLETE UNITS


Frames with Plain Casing, Back Band or for Brick Veneer. 31/2 Inch Moulded Fir Trim Included.


	DIII	gro ousomen	CD	D	bereens bilde.co kight				
	30	DI. I				Rough Open	ing Required	i	
	Size of Sash	Plain Glass	Wood Bars	Zinc Bars	1	Width			
	DIEC OF DASII	Cinos	Date	17415	A.	В	C	Height	
	1' 8" x 3' 0" 1' 8" x 3' 6" 1' 8" x 4' 0"	\$9.50 9.86 10.41	\$10.10 10.45 11.01	\$10.89 11.28 12.35	1' 11" 1' 11" 1' 11"	1' 8" 1' 8" 1' 8"	3′ 7″ 3′ 7″ 3′ 7″	3′ 4″ 3′ 10″ 4′ 4″	
•	1' 8" x 4' 6" 2' 0" x 3' 0" 2' 0" x 3' 6" 2' 0" x 4' 0"	9.82 10.25 11.23	11.83 10.42 10.85 11.83	13.09 11.51 12.21 13.53	2' 3" 2' 3" 2' 3" 2' 3"	1' 8" 2' 0" 2' 0" 2' 0"	3' 7" 4' 3" 4' 3" 4' 3"	3' 4" 3' 10" 4' 4"	
	2' 0" x 4' 6"	11.76	12.56	14.35	2' 3"	2' 0"	4′ 3″	4' 10"	
	2' 6" x 3' 0" 2' 6" x 3' 6" 2' 6" x 4' 0" 2' 6" x 4' 6"	10.72 11.46 12.40 13.19	12.06 13.00 13.99	14.03 15.47 16.07	2' 9" 2' 9" 2' 9" 2' 9"	2' 6" 2' 6" 2' 6"	5′ 3″ 5′ 3″ 5′ 3″ 5′ 3″	3' 4" 3' 10" 4' 4" 4' 10"	

win Casen	ents		One Sash	Only Scre	ened; Slid	e to right
1				Rough Open	ing Required	l
Plain	Wood	Zinc		Width		II-1-1-1
Glass	Dais	Dais	A	В	C	Height
\$13.86 14.44 15.28 16.30	\$15.06 15.64 16.43 17.90	\$16.64 17.68 19.16 20.42	3' 8" 3' 8" 3' 8" 3' 8"	1' 8" 1' 8" 1' 8" 1' 8"	5' 4" 5' 4" 5' 4" 5' 4"	3' 4" 3' 10" 4' 4" 4' 10"
14.45 15.17 16.53 17.39	15.65 16.37 17.73 18.99	17.83 19.09 21.13 22.57	4' 4" 4' 4" 4' 4" 4' 4"	2′ 0″ 2′ 0″ 2′ 0″ 2′ 0″ 2′ 0″	6' 4" 6' 4" 6' 4" 6' 4"	3′ 4″ 3′ 10″ 4′ 4″ 4′ 10″
15.79 16.80 18.17 19.41	16.99 18.00 19.37 21.01	20.29 21.94 24.31 25.17	5' 4" 5' 4" 5' 4" 5' 4"	2′ 6″ 2′ 6″ 2′ 6″ 2′ 6″	7' 10" 7' 10" 7' 10" 7' 10"	3' 4" 3' 10" 4' 4" 4' 10"
	Plain Glass \$13.86 14.44 15.28 16.30 14.45 15.17 16.53 17.39 15.79 16.80 18.17	\$13.86 \$15.06 14.44 15.64 15.28 16.43 16.30 17.90 14.45 15.65 15.17 16.37 16.53 17.73 17.39 18.99 15.79 16.99 16.80 18.00 18.17 19.37	Plain Glass Wood Bars \$13.86	Plain Glass Wood Bars A \$13.86	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Plain Glass Wood Bars Zine Bars Width

Other Sizes and Designs Made to Order








Above detail shows a Right Hand Screen standing inside looking out. Be sure to specify Left Hand Screen in the same manner.

CONSTRUCTION AND INSTALLATION

This unit is set up complete ready to install. The frame is made with a split jamb, fitted with screws so that a Twin or Triple may be installed after the flat cripple (see detail) is in place and the sheathing is applied. The sash are fitted to the frames and prepared for Casement Hardware. (This Hardware is not included in the prices quoted.)



CASEMENT SASH HARDWARE

This Hardware not only takes the place of hinges and adjusters, but it allows the cleaning of outside of glass from the inside.

10" long for sash up to 30" wide. Wrought Steel, Sheridized Finish.

Per Set (For One Sash).....\$0.65

Window and Sash Units

CORNER SASH AND WINDOWS, OCTAGON AND CIRCLE SASH, LOUVERS

Octagon Sash and Frame Stock Sizes

Frame made with Brick or Siding Mould No. 1066. Sash glazed with clear glass set in wood bars. Sash can be tipped in at top or fixed. No inside casings included.

Sash Size	Rough Opening	Frame
1'8"x1'8"	1'11"x1'11"	\$15.95
2'0"x2'0"	2' 3"x2' 3"	. 16.50
2'4"x2'4"	2' 7"x2' 7"	17.25



Corner Window and Frame CW-68

Modern Features for Today's House

FOR FRAME BUILDING WITH 2x4 STUDDING Jambs Including Blind Stop, 53/16 Inches Wide



Louvers are not only a decorative asset to a Gable End, but are practical for attic ventilation.

Made with Mould No. 1066, and with bronze fly screen inside. Stock sizes given are the inside opening.

Size	Roug	h Openi	ng	Price
3"x20"	6"	x23"		\$3.50
5"x24"	8"	x27"		4.00
7"x30"	10"	x33"		5.00

Corner windows and sash have a definite use in taking advantage of corner views, and in bedrooms in providing more wall space for furniture placement.



Bulls Eye Sash and Frame Stock Sizes

Frame made with Brick or Siding Mould No. 1066. Fixed sash glazed with clear glass set in wood bars. No inside casing included.

Sash Size	Rough Opening	Frame
1'8"x1'8"	1'11"x1'11"	\$14.50
2'0"x2'0"	2' 3"x2' 3"	15.25
2'4"x2'4"	· 2′ 7″x2′ 7″	16.00

If inside casing is wanted, please specify pattern number, and we will be glad to quote prices.



Corner Sash and Frame CS-69

No.	Two Light Woo. Glass Size	No. of Lights	Window Opening	Per Corner Unit	Rough Opening	Weights & Cord Per Unit	
CW68-A CW68-B CW68-C	24" x 24" 24" x 20" 24" x 24"	3 Lts. 4 Lts. 4 Lts.	2'4" x 3' 6" 2'4" x 3' 10" 2'4" x 4' 6"	\$11.86 12.24 13.12	2'8" x 3'10" 2'8" x 4'2" 2'8" x 4'10"	\$1.50 1.60 1.75	\$2.20 2.30 2.40
CW68-D CW68-E CW68-F	30" x 24" 30" x 20" 30" x 20" 30" x 24"	3 Lts. 4 Lts. 4 Lts.	2' 10" x 3' 6" 2' 10" x 3' 10" 2' 10" x 4' 6"	\$13.16 13.45 14.18	3 '2" x 3 '10" 3 '2" x 4 '2" 3 '2" x 4 '10"	\$1.60 1.75 1.85	\$2.20 2.30 2.40

No.	Sash Size	Number Lights	Per Corner Unit	Rough Opening	Inside Trim 3½" Casing
CS-69-A	2'4" x 3' 6"	3 Lts.	\$11.76	2' 634" x 3' 10"	\$2.20
CS-69-B	2'4" x 3' 10"	4 Lts.	12.94	2' 634" x 4' 2"	2.30
CS-69-C	2'4" x 4' 6"	4 Lts.	13.90	2' 634" x 4' 10"	2.40
CS-69-D	4' 6" x 3' 6"	6 Lts.	\$17.82	4' 834" x 3' 10"	\$2.72
CS-69-E	4' 6" x 3' 10"	8 Lts.	21.72	4' 834" x 4' 2"	2.92
CS-69-F	4' 6" x 4' 6"	8 Lts.	23.44	4' 834" x 4' 10"	3.12


WINDOW (L) ROUGH OPENING

Corner Frames shown above are Knock Down with No. 1066 Siding or Brick Mould same as No. 402 Frame, page 28. They can be furnished like No. 400 or No. 406. Please specify when ordering.

To obtain a price on this same style of corner window of different sizes, use price of 2 windows, W-718, page 17, and two frames, page 28, plus \$1.50 per corner. Other sizes and designs, or twins and triples, can be furnished. If frames set up add per corner unit \$2.00.

To obtain a price on this same style of corner sash of different sizes, use price of two sash, page 20, and two frames, page 29, plus \$1.50 per corner. Other sizes and designs, or twins and triples, can be furnished. If frames set up add per corner unit \$2.00.


If a narrow sash or window is wanted on one side of the corner and a larger one or twin wanted on the other, be sure to specify the position according to R. & L. as shown on these details. Positions are from the inside of building looking toward the outside.




Page 26

Exterior Millwork


BLINDS and SHUTTERS



Clear Cedar V. Joint Boards and Battens



No. 21 1 1/8" Fir Stiles, Rezin Bonded Waterproof Panels



No. 22 Flush Common Cedar Half Rounds Applied




No. 23 1%" Clear Cedar Stiles %" Cedar Slats

Size of Opening up to	No, 20 Per Pair	No. 21 Per Pair	No. 22 Per Pair	No. 23 Per Pair	Size of Opening up to	No. 20 Per Pair	No. 21 Per Pair	No. 22 Per Pair	No. 23 Per Pai
2' 8" x 3' 1"	\$3.16 3.38 3.55 3.77 4.00 4.22	\$4.54 4.88 5.16 5.50 5.95 6.37	\$2.86 3.03 3.25 3.47 3.70 3.92	\$6.70 6.94 7.55 8.24 8.91 9.60	4' 0" x 3' 1" 3' 7" 4' 1" 4' 7" 5' 1" 5' 7"	\$3.62 3.90 4.07 4.35 4.64 4.92 6.16	\$4.74 5.12 5.50 5.84 6.02 6.71 7.96	\$3.32 3.60 3.77 3.05 4.34 4.62 5.86	\$7.24 8.04 8.84 9.64 10.44 11.24 13.64
3' 4" x 3' 1" 3' 7" 4' 1" 4' 7" 5' 1" 5' 7"	3.46 3.72 3.94 4.22 4.50 4.76 5.66	4.74 5.08 5.36 5.70 6.16 6.59 7.82	3.16 3.42 3.64 3.92 4.20 4.46 5.36	7.04 7.84 8.77 9.56 10.37 11.21 13.15	4' 8" x 3' 7"	4.44 4.80 5.20 5.56 5.94 7.06	5.48 5.82 6.16 6.60 7.04 8.36	4.14 4.50 4.90 5.26 5.64 6.76	9.26 10.06 10.98 11.90 12.82 15.58

OTHER SIZES AND DESIGNS MADE TO ORDER.

PORCH BRACKETS

Made with 5 Inch Flush Face



			-
			1
		E-201	
1			

E 201

24"x18"	\$5.00
30"x20"	 5.93
36"x24"	 6.87
42"x26"	 8.43

E 200

24"x18"	 \$3.75
30"x20"	 4.68
36"x24"	5.62
42"x26"	 7.18

COLONIAL COLUMNS

Built Up

Diameter at Base	Length Over All	Plain Columns	Fluted Columns
6"	8 Feet	\$3.67	\$6.17
8"	8 Feet	4.28	6.78
10"	8 Feet	5.70	9.20
12"	8 Feet	7.15	11.65

COLONIAL COLUMNS





Exterior Window Frames

FOR FRAME BUILDING WITH 2x4 STUDDING Jambs Including Blind Stop, 53/16 Inches Wide

Made of soft yellow fir, accurately machined and shipped in one bundle ready to assemble. All window frames are made with removable pockets and jambproof pulleys. The sills have a steeper pitch than usual with a shoulder to keep wind and rain from driving under stool and another for storm sash or screen to set against. Sills are dadoed to receive pulley stiles and when frames are sent out set up white lead is used in all joints. Note: All frames have 53" jambs. For special


width jambs see extras on opposite page.

FRAMES WITH SASH BALANCES

If sash balances are to be used in place of pulleys, weights and cord, BE SURE TO MAKE LESS AL-LOWANCE for ROUGH OPENINGS. Allow 3" in width and 4" in height over outside measure of window. Add 2" for each mullion jamb.

It is IMPORTANT that we know if you intend to use balances. The type of balance used determines the cost of installation.

If Acme Twin Balances are used as shown on page 48 add the price of the balances plus \$0.25 to the regular price of a window frame.



NO. 402 BRICK MOULD FOR BRICK VENEER OR STUCCO

3/4 x 4 1/2 Blind Stop 1% x 2 Brick Mould



NO. 400 STANDARD FOR SIDING

Leak Proof

Window


Frames


of

Durable Fir

400







WINDOW FRAMES—KNOCK DOWN—SEMI-ASSEMBLED—WITH PULLEYS

										*****	LOLLL	13			
GLASS SIZE	Outside	Measure	Each	Each	Each	Rough (Opening	GLASS SIZE	Outside	Measure	Each	Each	Each	Rough	Opening
	Width	Height	No. 400	No. 402	No. 406	Wide	High		Width	Height	No. 400	No. 402	No. 406	Wide	High
18" x 14"	1' 10"	2' 10"	\$2.02	\$1.99	\$2.17	2' 4"	3' 2"	26" x 28"	2' 6"	5′ 2″	\$2.75	\$2.72	\$3.00	3' 0"	5' 6"
18" x 16"	1' 10"	3' 2"	2.11	2.05	2.27	2' 4"	3' 6"	26" x 30"	2' 6"	5′ 6″	2.86	2.84	3.13	3' 0"	5' 10"
18" x 18"	1' 10"	3' 6"	2.19	2.17	2.37	2' 4"	3' 10"	28" x 14"	2' 8"	2′ 10″	2.25	2.20	2.41	3' 2"	3' 2"
18" x 20"	1' 10"	3' 10"	2.27	2.24	2.47	2' 4"	4' 2"	28" x 16"	2' 8"	3′ 2″	2.34	2.26	2.50	3' 2"	3' 6"
18" x 24"	1' 10"	4' 6"	2.42	2.41	2.65	2' 4"	4' 10"	28" x 18"	2' 8"	3′ 6″	2.42	2.37	2.61	3' 2"	3' 10"
18" x 26"	1' 10"	4' 10"	2.49	2.47	2.73	2' 4"	5' 2"	28" x 20"	2' 8"	3′ 10″	2.50	2.44	2.70	3' 2"	4' 2"
18" x 28"	1' 10"	5' 2"	2.56	2.55	2.81	2' 4"	5' 6"	28" x 24"	2' 8"	4′ 6″	2.65	2.61	2.88	3' 2"	4' 10"
18" x 30"	1' 10"	5' 6"	2.67	2.67	2.95	2' 4"	5' 10"	28" x 26"	2' 8"	4′ 10″	2.72	2.68	2.96	3' 2"	5' 2"
20" x 14" 20" x 16" 20" x 18" 20" x 20"	2' 0" 2' 0" 2' 0" 2' 0" 2' 0"	2' 10" 3' 2" 3' 6" 3' 10"	2.06 2.15 2.23 2.32	2.04 2.10 2.21 2.28	2.22 2.32 2.42 2.51	2' 6" 2' 6" 2' 6" 2' 6"	3′ 2″ 3′ 6″ 3′ 10″ 4′ 2″	28" x 28" 28" x 30" 30" x 14" 30" x 16"	2' 8" 2' 8" 2' 10" 2' 10"	5' 2" 5' 6" 2' 10" 3' 2"	2.79 2.90 2.34 2.43	2.76 2.88 2.28 2.35	3.04 3.18 2.50 2.60	3' 2" 3' 2" 3' 4" 3' 4"	5' 6" 5' 10" 3' 2" 3' 6"
20" x 24"	2' 0"	4' 6"	2.47	2.45	2.70	2' 6"	4' 10"	30" x 18"	2' 10"	3′ 6″	2.52	2.46	2.70	3' 4"	3' 10"
20" x 26"	2' 0"	4' 10"	2.53	2.52	2.77	2' 6"	5' 2"	30" x 20"	2' 10"	3′ 10″	2.60	2.53	2.80	3' 4"	4' 2"
20" x 28"	2' 0"	5' 2"	2.61	2.59	2.86	2' 6"	5' 6"	30" x 24"	2' 10"	4′ 6″	2.75	2.70	2.98	3' 4"	4' 10"
20" x 30"	2' 0"	5' 6"	2.71	2.71	2.99	2' 6"	5' 10"	30" x 26"	2' 10"	4′ 10″	2.82	2.77	3.06	3' 4"	5' 2"
24" x 14" 24" x 16" 24" x 18" 24" x 20"	2' 4" 2' 4" 2' 4" 2' 4" 2' 4"	2' 10" 3' 2" 3' 6" 3' 10"	2.05 2.26 2.34 2.42	2.12 2.19 2.30 2.37	2.32 2.42 2.52 2.61	2' 10" 2' 10" 2' 10" 2' 10"	3' 2" 3' 6" 3' 10" 4' 2"	30" x 28" 30" x 30" 32" x 24" 32" x 26"	2' 10" 2' 10" 3' 0" 3' 0"	5' 2" 5' 6" 4' 6" 4' 10"	2.89 3.00 2.82 2.88	2.84 2.96 2.76 2.83	3.14 3.28 3.04 3.12	3' 4" 3' 4" 3' 6" 3' 6"	5' 6" 5' 10" 4' 10" 5' 2"
24" x 24"	2' 4"	4' 6"	2.57	2.54	2.80	2' 10"	4' 10"	32" x 28"	3' 0"	5' 2"	2.95	2.91	3.21	3' 6"	5' 6"
24" x 26"	2' 4"	4' 10"	2.64	2.61	2.88	2' 10"	5' 2"	32" x 30"	3' 0"	5' 6"	3.06	3.03	3.34	3' 6"	5' 10"
24" x 28"	2' 4"	5' 2"	2.71	2.68	2.96	2' 10"	5' 6"	36" x 24"	3' 4"	4' 6"	2.90	2.85	3.13	3' 10"	4' 10"
24" x 30"	2' 4"	5' 6"	2.82	2.80	3.09	2' 10"	5' 10"	36" x 26"	3' 4"	4' 10"	2.97	2.92	3.21	3' 10"	5' 2"
26" x 14"	2' 6"	2' 10"	2.20	2.16	2.36	3' 0"	3' 2"	36" x 28"	3' 4"	5′ 2″	3.04	2.99	3.30	3' 10"	5′ 6″
26" x 16"	2' 6"	3' 2"	2.29	2.22	2.46	3' 0"	3' 6"	36" x 30"	3' 4"	5′ 6″	3.15	3.11	3.43	3' 10"	5′ 10″
26" x 18"	2' 6"	3' 6"	2.38	2.34	2.56	3' 0"	3' 10"	40" x 24"	3' 8"	4′ 6″	3.06	3.00	3.30	4' 2"	4′ 10″
26" x 20"	2' 6"	3' 10"	2.46	2.41	2.65	3' 0"	4' 2"	40" x 26"	3' 8"	4′ 10″	3.13	3.07	3.37	4' 2"	5′ 2″
26" x 24"	2' - 6"	4' 6"	2.61	2.58	2.84	3' 0"	4' 10"	40" x 28"	3' 8"	5' 2"	3.20	3.14	3.46	4' 2"	5' 6"
26" x 26"	2' 6"	4' 10"	2.68	2.64	2.92	3' 0"	5' 2"	40" x 30"	3' 8"	5' 6"	3.31	3.26	3.59	4' 2"	5' 10"

TO DETERMINE ROUGH OPENING REQUIRED

Width—Single windows add 6 inches to the width of window. (From outside measure.)
Twin windows, take the combined width of two windows and add 11½ inches.
Triple windows, take the combined width of three windows and add 17 inches.


Height—Add 4 inches to height of window.

Exterior Sash and Door Frames



For Frame Building with 2x4 Studding Jambs 5 3/16 Inches Wide


Made of soft yellow fir, accurately machined and shipped in one bundle ready to assemble. Sash frames, unless otherwise ordered, are made for swing out sash, but they can be furnished for stationary or swing in sash at no extra cost. The jambs are double rabbeted with a stop on the inside for the sash to set against. If hardwood is used for interior trim this stop can be furnished to match the other trim. The sill has a steeper pitch than usual and has a shoulder to keep wind and rain from driving under stool. Frames can also be made to special details. Write for prices.




No. 400




No. 406



No. 402



No. 402 Roll Screen



SASH FRAMES-KNOCK DOWN

Made to Match Window Frames

Size Up To	No. 400 Each	No. 402 Each	No. 406 Each	Rough Opening	Size Up To	No. 400 Each	No. 402 Each	No. 406 Each	Rough Opening
1' 6" x 2' 1"	\$1.54	\$1.57	\$.1.70	1' 9"x2' 5"	3' 6" x 2' 1"	\$2.64	\$2.58	\$2.80	3' 9"x2' 5'
1' 6" x 2' 7"	1.72	1.77	1.89	1' 9"x2' 11"	3' 6" x 2' 7"	2.82	2.79	3.00	3' 9"x2' 11'
1' 6" x 3' 1"	1.87	1.91	2.06	1' 9"x3' 5"	3' 6" x 3' 1"	2.97	2.93	3.17	3' 9"x3' 5'
1' 6" x 3' 7"	2.02	2.05	2.23	1' 9"x3' 11"	3' 6" x 3' 7"	3.12	3.07	3.33	3' 9"x3' 11'
1' 6" x 4' 1"	2.31	2.38	2.54	1' 9"x4' 5"	3′ 6″ x 4′ 1″	3.40	3.39	3.64	3' 9"x4' 5'
1' 6" x 4' 7"	2.47	2.53	2.73	1' 9"x4' 11"	3′ 6″ x 4′ 7″	3.57	3.54	3.84	3' 9"x4' 11'
1' 6" x 5' 1"	2.64	2.69	2.91	1' 9"x5' 5"	3′ 6″ x 5′ 1″	3.73	3.70	4.01	3' 9"x5' 5'
1' 6" x 5' 7"	2.86	2.94	3.16	1' 9"x5' 11"	3′ 6″ x 5′ 7″	3.95	3.96	4.27	3' 9"x5' 11'
2' 0" x 2' 1"	1.81	1.83	1.98	2' 3"x2' 5"	4' 0" x 2' 1"	2.82	2.75	2.99	4' 3"x2' 5
2' 0" x 2' 7"	2.00	2.04	2.17	2' 3"x2' 11"	4' 0" x 2' 7"	3.01	2.96	3.18	4' 3"x2' 11
2' 0" x 3' 1"	2.15	2.17	2.34	2' 3"x3' 5"	4' 0" x 3' 1"	3.16	3.10	3.35	4' 3"x3' 5
2' 0" x 3' 7"	2.30	2.31	2.50	2' 3"x3' 11"	4' 0" x 3' 7"	3.31	3.24	3.52	4' 3"x3' 11
2' 0" x 4' 1"	2.58	2.64	2.81	2' 3"x4' 5"	4' 0" x 4' 1"	3.59	3.56	3.82	4' 3"x4' 5
2' 0" x 4' 7"	2.75	2.79	3.01	2' 3"x4' 11"	4' 0" x 4' 7"	3.76	3.71	4.02	4' 3"x4' 11
2' 0" x 5' 1"	2.91	2.95	3.18	2' 3"x5' 5"	4' 0" x 5' 1"	3.91	3.87	4.20	4' 3"x5' 5
2' 0" x 5' 7"	3.13	3.21	3.44	2' 3"x5' 11"	4' 0" x 5' 7"	4.14	4.13	4.45	4' 3"x5' 11
2' 6" x 2' 1"	2.00	2.00	2.16	2' 9"x2' 5"	5' 0" x 2' 1"	3.17	3.15	3.34	5' 3"x2' 5
2' 6" x 2' 7"	2.19	2.20	2.36	2' 9"x2' 11"	5' 0" x 2' 7"	3.35	3.29	3.53	5' 3"x2' 11
2' 6" x 3' 1"	2.34	2.34	2.53	2' 9"x3' 5"	5' 0" x 3' 1"	3.50	3.45	3.70	5' 3"x3' 5
2' 6" x 3' 7"	2.49	2.48	2.69	2' 9"x3' 11"	5' 0" x 3' 7"	3.65	3.59	3.86	5' 3"x3' 11
2' 6" x 4' 1"	2.77	2.81	3.00	2' 9"x4' 5"	5' 0" x 4' 1"	3.93	3.92	4.17	5' 3"x4' 5
2' 6" x 4' 7"	2.94	2.96	3.19	2' 9"x4' 11"	5' 0" x 4' 7"	4.10	4.07	4.36	5' 3"x4' 11
2' 6" x 5' 1"	3.09	3.12	3.37	2' 9"x5' 5"	5' 0" x 5' 1"	4.26	4.23	4.56	5' 3"x5' 5
2' 6" x 5' 7"	3.32	3.37	3.63	2' 9"x5' 11"	5' 0" x 5' 7"	4.49	4.48	4.80	5' 3"x5' 11
3' 0" x 2' 1"	2.28	2.24	2.44	3' 3"x2' 5"	6' 0" x 2' 1"	3.61	3.55	3.80	6' 3"x2' 5
3' 0" x 2' 7"	2.46	2.45	2.64	3' 3"x2' 11"	6' 0" x 2' 7"	3.79	3.76	3.99	6' 3"x2' 11
3' 0" x 3' 1"	2.61	2.59	2.80	3' 3"x3' 5"	6' 0" x 3' 1"	3.94	3.90	4.16	6' 3"x3' 5
3' 0" x 3' 7"	2.76	2.73	2.97	3' 3"x3' 11"	6' 0" x 3' 7"	4.09	4.03	4.34	6' 3"x3' 11
3' 0" x 4' 1"	3.07	3.05	3.28	3' 3"x4' 5"	6' 0" x 4' 1"	4.38	4.36	4.65	6' 3"x4' 5
3' 0" x 4' 7"	3.21	3.29	3.47	3' 3"x4' 11"	6' 0" x 4' 7"	4.54	4.51	4.84	6' 3"x4' 11
3' 0" x 5' 1"	3.37	3.36	3.65	3' 3"x5' 5"	6' 0" x 5' 1"	4.70	4.67	5.02	6' 3"x5' 5
3' 0" x 5' 7"	3.60	3.62	3.91	3' 3"x5' 11"	6' 0" x 5' 7"	4.93	4.92	5.53	6' 3"x5' 11

Outside **Door Frames** to Match Above Sash Frames 5 3/16" Jamb 11/8" Rabbet For Screen Door

FRAME EXTRAS

FRAME EXTRAS

Setting up Frame, add per single opening \$0.50

Twin Frames—Figure as two single frames.

Triple Frames—Figure as three single frames.

Jambs over 54" to 74" add....30%

Jambs over 74" to 94" add...40%

Window Frames with 1%" Pulley Stiles add 20%

Frames for Roller Screens add.....\$0.75

GARAGE DOOR FRAMES Knock Down

No Sill Swing Out Made to Match Window Frames No. 406 Each No. 400 Each No. 402 Each Size Up To 8' 0" x 7' 0" 8' 0" x 8' 0" 16' 0" x 8' 0" \$4.59 4.97 6.09 \$4.48 4.84 5.75 \$5.07 5.50 6.40


OUTSIDE DOOR FRAMES—Knock Down Made to Match Window Frames

Size	Uр То	No. 400 Each	No. 402 Each	No. 406 Each
3′ 0″ 3′ 0″ 4′ 0″	x 6' 8" x 6' 8" x 7' 0" x 7' 0" x 7' 0"	\$3.36 3.51 3.63 4.07 4.45	\$3.43 3.56 3.65 4.07 4.43	\$3.75 3.91 4.93 4.47 4.85
	x 7' 0"	4.87	4.84	5.29

Door and Window Trim Sets

CLEAR YELLOW FIR OR PHILIPPINE MAHOGANY

Cut to Length and Bundled



DOOR TRIM

TRIM SETS

Complete Door and Window Trim Cut to Length and Bundled

Window and Door Trim Sets consist of all the material necessary to trim one side of a door or window. Each member is cut to approximate length, one inch being allowed for trimming, and is stamped on the back Window Side, Window Head, Door Side, or Door Head and like members bundled. With these members so marked it is a simple matter to locate where they go, at a considerable saving of time and with no waste.

At an additional charge of \$0.10 per set we will assemble in one bundle all members necessary to trim an opening.

For paper wrapping add \$0.20 per set.

Window Trim Sets consist of two side Casings and one head Casing of pattern selected, two side and one head Stop No. 1235, Stool No. 1315, and Apron to match Casing.

Door Trim Sets consist of two side Casings and one head Casing of pattern selected. No Stops furnished with Door

For Stops and Stools wider than above there will be an additional charge.

Trim for twin window double price of single.

Trim for triple window triple price of single.

Be sure to specify Number and Pattern of Casing wanted.

See Pages 31 and 32 for Patterns.



WINDOW TRIM

TRIM SETS


		F	R		Philip	pine Mah	ogany
Window or Sash Trim Size	15%-Inch Casing	2½-Inch Casing	3½-Inch Casing	4½-Inch Casing	15%-Inch Casing	2½-Inch Casing	3½-Inch Casing
2' 0" x 3' 6"	\$0.82	\$0.90	\$1.00	\$1.13	\$1.68	\$1.88	\$2.10
3' 0" x 3' 6"	.93	1.00	1.10	1.28	1.91	2.15	2.40
4' 0" x 3' 6"	1.03	1.12	1.22	1.43	2.15	2.43	2.70
5' 0" x 3' 6"	1.14	1.22	1.32	1.58	2.39	2.70	3.00
6' 0" x 3' 6"	1.24	1.32	1.45	1.72	2.62	2.95	3.30
7' 0" x 3' 6"	1.34	1.42	1.57	1.87	2.86	3.25	3.60
8' 0" x 3' 6"	1.44	1.54	1.69	2.02	3.09	3.52	3.90
9' 0" x 3' 6"	1.55	1.65	1.80	2.17	3.33	3.78	4.18
10' 0" x 3' 6"	1.66	1.76	1.91	2.32	3.56	4.05	4.48
2' 0" x 4' 6"	.90	.97	1.10	1.25	1.83	2.03	2.35
3' 0" x 4' 6"	1.00	1.10	1.20	1.40	2.07	3.35	2.65
4' 0" x 4' 6"	1.11	1.20	1.32	1.55	2.30	2.63	2.95
5' 0" x 4' 6"	1.21	1.30	1.42	1.70	2.54	2.90	3.25
6' 0" x 4' 6"	1.32	1.40	1.55	1.85	2.78	3.15	3.53
7' 0" x 4' 6"	1.42	1.52	1.67	2.00	3.01	3.43	3.83
8' 0" x 4' 6"	1.53	1.62	1.79	2.15	3.24	3.70	4.13
9' 0" x 4' 6"	1.63	1.72	1.90	2.29	3.48	3.98	4.43
10' 0" x 4' 6"	1.74	1.82	2.02	2.44	3.71	4.25	4.73
2' 0" x 5' 6"	.98	1.07	1.20	1.37	1.99	2.28	2.60
3' 0" x 5' 6"	1.08	1.17	1.30	1.52	2.22	2.53	2.90
4' 0" x 5' 6"	1.18	1.27	1.42	1.67	2.46	2.80	3.18
5' 0" x 5' 6"	1.29	1.37	1.52	1.82	2.69	3.08	3.48
6' 0" x 5' 6"	1.39	1.50	1.65	1.97	2.93	3.35	3.78
7' 0" x 5' 6"	1.50	1.60	1.77	2.11	3.17	3.63	4.08
8' 0" x 5' 6"	1.61	1.71	1.89	2.16	3.40	3.90	4.38
9' 0" x 5' 6"	1.71	1.82	2.00	2.31	3.64	4.18	4.65
10' 0" x 5' 6"	1.82	1.93	2.12	2.46	3.87	4.45	4.95
Door Trim							
3' 0" x 7' 0"	\$0.47	\$0.60	\$0.75	\$0.96	\$0.97	\$1.43	\$1.85
4' 0" x 7' 0"	.49	.62	.80	1.00	1.01	1.50	1.95
5' 0" x 7' 0"	.52	.65	.82	1.04	1.06	1.55	2.05
6' 0" x 7' 0"	.54	.67	.85	1.09	1.10	1.63	2.13

INSIDE DOOR FRAMES

FIR	Flat Grain	Ver- tical Grain
15/6" x 31/4" Single Rabt. 2' 8" x 6' 8" 13/8"		\$1.10
15/6" x 41/4" Double Rabt. 2' 8" x 6' 8" 13/8"		\$1.50
$\begin{array}{lll} 15_{16}'' & x & 55_{16}'' & Double \ Rabt. \\ 2 & 18'' & x & 6 & 18'' & 13_{5}'' & \\ 3 & 19'' & x & 6 & 18'' & 13_{5}'' & \\ 3 & 19'' & x & 7 & 6'' & 13_{5}'' & \\ 4 & 19' & x & 7 & 6''' & 13_{5}'' & \\ 5 & 19'' & x & 7 & 6'' & 13_{5}'' & \\ 6 & 19'' & x & 7 & 6'' & 13_{5}'' & \\ \end{array}$	\$1.35	\$1.50 1.60 1.70 1.80 1.90 2.00
15/6" x 71/4" Double Rabt. 2' 8" x 6' 8" 13/8"		\$2.00
34" x 5%6" Flat No Stops 2' 8" x 6' 8"		\$1.05
1½" x 5¾" Flat No Stops 2′8″ x 6′8″		\$1.25


PHILIPPINE MAHOGANY

•	5/16" X 2	Pie		s.		,	X	1	5	1	6	7	J	Į	1)	n	ıl	0				
	2', 3', 4', 5'	S" 0" 0"	X X X	6' 6' 6'	8" 8" 8" 8"			11111	3/3/3/3/	1/8/8/8/8	6" " "		E						 		2 2 2	\$3.8 4.0 4.2 4.4
	3/4" x 2' 3' 4' 5'	8" 0" 0"	XXX	S' 6' 6'	8" 8"														 	 		\$2.5 2.6 2.8 2.9



INSIDE DOOR FRAMES

Ribbon Grain Philippine Mahogany Trim



Let us give you a quotation on Philippine Mahogany doors and trim for the main rooms of your house. The slight additional cost will surprise you.

Philippine Mahogany, which is not only beautiful and distinctive, but also low in original cost and upkeep, is filling a long felt need for woodwork in the home. A good finish on this wood will last for years with occasional cleaning and polishing. Con-

Description

sidering this quality, the difference in cost between painted woodwork and Philippine Mahogany is very little.

The soft ribbon figure grain with its ever changing shadows due to changes in direction of light, makes it a distinctive wood which has unusual life and character. We are prepared to make any item of millwork which you may need out of this wood.

Turn to the first four pages of this book for designs and prices of Philippine Mahogany doors to go with this trim.

Description

See Page 37 for Philippine Plywood

PRICE LIST PER 100 LINEAL FEET

Flat and Moulded Surfaces Sanded
We quote below prices on all patterns of Philippine Mahogany Mouldings and Trim that we carry in stock. Most patterns are shown on pages 32 to 35. For other patterns write for circular "Modern Mouldings," showing both Fir and Philippine Mahogany.

PHILIPPINE MAHOGANY LUMBER

Surface	Four Side	og and					1 000					
Surrace	Sanded	es and	1018 1032	Sprung Cove . Cove	34"x2½" 34"x 78" ½"x 34"	34 33 33	\$6.65 2.20 2.20	1315 1318 1319	StoolApron	$\frac{3}{4}$ "x $\frac{31}{2}$ "	32	\$8.54 8.80 6.60
Rough Size	Finished Size	Per 100 Lin. Feet \$6.21	1073 1112 1130 1138	Panel Mould Panel Mould Panel Mould	3/8" x 5/8"	33 	2.20 2.75 2.75	1335 1340 1340A	Apron. Casing. Casing. Plinth.	$\frac{3}{4}'' \times 2\frac{1}{2}'' \dots$	32 32 32	6.60 6.60 8.80
1 x 4 1 x 5 1 x 6 1 x 8 1 x10 1 x12	34 x 312 34 x 412 34 x 512 34 x 714 34 x 914 34 x 1114	8.26 10.33	1139 1167 1170 1180 1190 1192	Nosing. Glass Bead Glass Bead Panel Mould Panel Mould Panel Mould	34"x158" 38"x 38" 14"x 5/6" 38"x 5/8" 34"x 7/8" 1/2"x 1/2"	33 34 34 33 33 33	4.40 2.20 2.20 2.20 2.20 2.20	1370 1371 1372 1373 1376 1379	Casing Casing Casing Casing Casing Plinth	34 "x2½" 34 "x3½"	32 32 32 32 32 32	8.80 6.60 8.80 6.60 4.40 8.80
1 ¹ / ₄ x 3 1 ¹ / ₄ x 4 1 ¹ / ₄ x 5 1 ¹ / ₄ x 6 1 ¹ / ₄ x 8 1 ¹ / ₄ x10	1½6 x 2½ 1½6 x 3½ 1½6 x 4½ 1½6 x 5½ 1½6 x 7¼ 1½6 x 9¼	11.86 14.83 17.67 24.80 31.80	1230 1231 1232 1235 1237	Ogee Stop Ogee Stop Ogee Stop Ogee Stop	$\frac{34}{4}$ "x1 $\frac{3}{8}$ " $\frac{34}{4}$ "x2 $\frac{34}{4}$ " $\frac{1}{2}$ "x1 $\frac{1}{4}$ "	32 32 32	2.20 3.30 6.60 3.30 4.40	1420 1422 1427 1429 1431	Ogee Base Ogee Base Sanitary Base Bull Nose Base Bull Nose Base	9/16 "x31/2" 9/16 "x51/2"	33 33 33 33 33	8.80 13.75 6.60 8.80 13.75
11/4 x12 2 x 3 2 x 4 2 x 6 2 x 8 2 x10 2 x12	1½ x 2½ 1¾ x 2½ 1¾ x 3½ 1¾ x 5½ 1¾ x 7½ 1¾ x 7½ 1¾ x 9¼ 1¾ x 11¼	22.00 33.00 44.00 55.00	1261 1267 1269 1309 1312 1313 1314	Picture Mould Astragal Astragal Apron Stool Stool Stool	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	34 32 32 32 32 32	4.40 15.40 12.10 6.60 11.48 14.30 17.46	1463 1464 1465 1520 1523 1552 1554	Square Stop. Door Jamb Door Stop. Stair Rail. Stair Rail. Square Baluster Round.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 35 34	3.30 13.75 6.05 20.00 40.00 4.51 13.75






Mouldings



4000



No.	Size	Fir	Phil. Mah.
1378	3/4"x15/8"	.\$2.00	
1335	3/4 "x21/2"		\$6.60



MODERN CASING

No.	Size	Fir
1351	3/4"x2½"	\$2.50



OVAL CASING

No.	Size	Fir	Phil. Mah.
1340	3/4"x21/2"	\$2.50	\$6.60
	Plir	nth	
1340A	7/8"x25/8"	\$4.00	\$8.80




COLONIAL CASING

No.	Size	Fir	Phil. Mah.		
1376	34"x15%".	\$2.00	\$4,40		



CRETE CASING

No.	Size		Fir
1384	34"x21/2"		\$2.50
1384-	4 %"x25%"	Plinth	4.00



FEDERAL CASING

No.	Size			Fir
1350	34"x21/2"			\$2.50
1350-A	1 7/8"x25/8"	Plinth	***************************************	4.00



BEVEL CASING

No.	Size	Fir
1377	3/4"x15/8"	\$2.00





CLASSIC CASING


No.	Size	Fir
1383	34"x15%"	\$2.00



No.	Size	Fir_
1383	34"x15%"	\$2.00








STOOL

No.	Size	Fir	Phil. Mah.
1315	1"x2 9 16	'\$3.50	\$ 8.54
1312	1"x31/2"	4.00	11.48
1313	1"x3 %'	6.00	14.32
1314	1"x5 1/8"	7.00	17.46



WINDOW STOOL





OGEE STOP

No.	Size	Fir	Phil. Mah.
1233	½"x½"	\$1.00	1
1235	½"x1¼" .	1.50	\$3.30
1237	½"x15%".	2.00	4.40
1239	1/2" v 2 3/4"	3.00	



No.	Size	Fir
1240	½"x1¼"	\$1.50
1243	½"x15%"	2.00



All prices shown on pages 31 to 35 are for 100 lineal feet. For specified or cut to length sizes there will be a charge of 10 per cent

1371

1370

3/4"x21/2"

3/4"x31/2"

additional. Cut to length material will be figured as follows: Under 4 feet, break on half feet—3'2" as 3'6". 4 feet to 8 feet, break on full feet—7'2" figured as 8'0". Over 8 feet, break on even fe'et—8'2" figured as 10'0".



BULL NOSE CASING AND CHAIR RAIL

No.	Size		Fir
1291	5/8"x25/8"		\$2.25
1346	3/4 "x3 1/2"		3.00
1347	3/4"x41/2"		4.00
1348	3/4"x51/2"		4.50
1307	3/4 "x3 1/2 "	Apron	3.00

Phil. Mah.

\$6.60

8.80

\$2.25

Interior Mouldings



NOSING

No.	Size	Fir	Phil. Mah.
1139	¾"x1%"	\$2.00	\$4.40




PANEL MOULDING

No.	Size	Fir	Phil. Mah.
1190	3/4"x 7/8"	\$1.00	\$2.20



No.	Size	Fir
1188	9 "x11/8"	\$1.25



PANEL MOULDING

No.	Size	Fir
1130	½"x1½"	\$1.25
	Ph	il. Mah.
1130	$\frac{1}{2}$ "x $1\frac{1}{16}$ "	\$2.50



PANEL MOULDING

No.	Size	Fir
1177	3/8" X 1/6"	\$1.00
1180	3/8"x5/8"	1.00
1179	5/8"x 3/4"	1.00

Phil, Mah. 1180 3/8"x 5/8".....\$2.20



BATTENS

No.	Size	Fir
1514	3%"x13%"	\$1.10
	Plain	
1502	5"x1%"	\$1.00



PANEL MOULDING

No.	Size	Fir
1191	34"1%"	\$1.75



HALF ROUND

No.	Size	Fir
1091	1/4"X 16"	\$1.00
1092	5"x 5%"	1.00
1093	3/8"X111"	
1094	½"x1"	1.25
1096	3/4"x1½"	1.75



No.	Fir	
1100	Size	\$1.00



NECK MOULDING

No.	Size	Fir
1127	½"x¾"	\$1.00
1129	%"x116".	1.25




MOULDING

No.	Size	Fir
1192	½"x½"	\$1.00
1193	5/8"x 5/8"	1.00
No.	Size I	hil Mah.
1192	1/2" X 1/2"	\$2.20



Screen Moulding

No.	Size	Fir
	Beaded	
1102	1/4"x3/4"	\$1.00
	Plain	
1101	1/4 "X 3/4 "	\$1.00




No.	Size	Fir -	Mah.
1429	9 "x3½"	"\$3.00	\$ 8.80
1431	9 "x5½	" 4 . 50	13.75
	Sh	oe	
1073	1/2" x 3/4".	1.00	2.20



BASE


No.	Size	Fir	Phil. Mah.
1420	⁹ / ₁₆ "x3½	″\$3 . 00	\$ 8.80
1422	⁹ / ₁₆ "x5½	" 4.50	13.75



Size


1423 ½"x3½"....\$3.50

Shoe 1075 %"x%".



Base

	No.	Size	Fir
0	1426-A	⁹ / ₁₆ "x3½"	\$3.50




SANITARY BASE

No.	Size	Fir	Phil. Mah.
1427	3/4"x2½".	\$2.50	\$6.60

1000


Mouldings



400


CROWN MOULDING

Size	1	cir
34"x15%"	\$2	.00
3/4"x21/8"		
3/4"x25/8"	3	.00
3/4"x3½"	4	.00
	34"x15%" 34"x21%" 34"x25%"	34"x15%" \$2 34"x21%" 2 34"x25%" 3




BED MOULDING

No.	Size		Fir
1023	34"x15%"		\$2.00
1025	3/4"x21/8"		2.50
1026	3/4"x25/8"	***************************************	3.00



QUARTER ROUND

No.	Size	Fir
1082	3%"x3%"	\$ 1.00
1083	1/2"x 1/2"	 1.00
1084	5/8"x5/8"	 1.00
1085	34"x34"	 1.00



SPRUNG COVE

No.	Size		Fir
1035	34"x15%"	\$2	2.00
1036	34"x21/8"		2.50
1037	34"x25%"		3.00
1038	3/4"x3½"		1.00



COVE MOULDING

No.	Size	Fir	Phil. Mah.	
1030	½"x¾"	\$1.00		
1032	3/4"x 7/8"	1.00	\$2.20	



SPRUNG COVE

No. Size		Fir	Phil. Mah.	
1018	3/4"x2½"	\$3.00	\$6.60	



ROUND

No.	Size	Fir	Phil. Mah.
1542	1½"x1½"	\$3.00	
1543	$1\frac{5}{16}$ "x $1\frac{5}{16}$ "	4.00	
1544	1%"x1%"	6.00	\$12.00
1011	1/8 11/8	0.00	Ψ12.00



PICTURE MOULDING

No.	Size	Fir	Phil. Mah.	
1261	34"x15%	"\$2.00	\$4.40	



GLASS BEAD

NO.	Size	r II	Man.
1170	1/4" X 5 "	\$1.00	\$2.00
1168	1/4"x3/8"	1.00	
1169	1/4"x1/2"	1.00	
1167	3/8"x3/8"	1.00	2.00
1174	3/8" X 1/2"	1.00	
1165	3/8"x 5/8"	1.00	
1178	3/8" x 13"	1.00	
1164	$\frac{7}{16}'' X \frac{9}{16}''$	1.00	



36 Inches Long Per 100 Lineal Feet

Diameter	Bdl. Lots	Less than Bdl. Lots	Pcs. in Bundle
1/4"	\$0.50	\$0.75	500
5 "	.57	.85	500
3/8"	.67	1.00	200
7 " 16"	.75	1.15	200
1/2"	.86	1.25	200
5/8"	1.25	1.50	100
5/8" 3/4"	1.60	2.00	100
1"	2.50	3.00	50




THRESHOLD

Size	L	ength	Each	Size	Fir	Oak
½"x3¾"				½"x3¾"	\$3.50	\$15.00
½"x3¾" ½"x3¾"					Per 10	0 Lin. Feet


Specify if for Outside or Inside Doors

Mouldings and Frame Stock




SHAKE OR BRICK MOULDING

No.	Size	Fir
1066	$1\frac{5}{16}$ "x $1\frac{3}{4}$ "	\$4.00



BRICK	MOI	II.	DII	VG

No.	Size	Fir
1066-B	1%"x1%"	\$4.25



SQUARE BALUSTERS

No.	Size	Fir	Phil. Mah.
1551	3/4"x 3/4"	\$ 1.00	
1552	$1\frac{1}{16}$ " x $1\frac{1}{16}$ "	 2.10	\$4.20
1553	$1\frac{5}{16}$ " $x1\frac{5}{16}$ "	 3.00	
1554	15%"x15%"	 3.50	




	L	7111	CE	
Size*				

	No.	Size	Fir
•	1501	$\frac{5}{16}$ "x $1\frac{1}{16}$ "	 \$0.85
	1502	5 "x1 %"	 1.00
	1503	$\frac{5}{16}$ "x $1\frac{5}{8}$ "	 1.40




PARTING STOP

No.	Size	Fir
1461	½"x¾"	\$1.00



BLIND	STOP	
ize	Fir	Phil, Mah.

No.	Size	Fir	Phil. Mah.
1463	3/4"x11/4"	\$1.50	\$3.00
	/4 212 /4		40.00



DRIP CAP

110.	Dize		F. 11
1477	116"x1%	"	3.30
1478	1 1 "x2"		3.75
1479	1 16"x21/2	"	4.55
	- 10 /2		



Pockets cut and bored for pulleys. 3/4"x47"


Pair	Per				
0.50	lights\$	2	glass	high	14"
.53	lights	2	glass	high	16"
.56	lights	2	glass	high	18"
.59	lights	2	glass	high	20"
.62	lights	2	glass	high	22"
.65	lights	2	glass	high	24"
.68	lights	2	glass	high	26"
.71	lights	2	glass	high	28"
.74	lights	2	glass	high	30"

LINEAL FRAME STOCK

Finished Size	Per 100 Lineal Feet
3/4"x47"	Pulley Stile\$3.80
3/4"x51/2"	Pulley Stile 4.25
11/8"x533"	Sash Jamb 5.60
$1\%"x5\frac{3}{16}"$	Door Jamb 6.30
$1\frac{5}{8}$ " $x5\frac{3}{16}$ "	Door Jamb 9.00
1%"x7¼"	Door Jamb 8.50
1%"x7¼"	Plain Sill 12.30
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Pattern Sill 12.30
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Plain Sill 16.80
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Pattern Sill 16.80

SASH PULLEYS

		Per	Doz.
Drive	Type	\$	0.72
Hoode	ed Tyr	oe	.80



SASH RAIL

Face Meast	ire	Fir
3/4 "x2"		\$2.50
3/4"x3"		3.3
$1\frac{1}{16}$ "x2"		3.1
$1\frac{1}{16}$ "x3"		4.2
1%"x2"		3.5
1%"x3"		4.50
13/4"x2"		4.0
1¾"x3"		5.5



SASH BAR

Between Glass	Fir
½"x1¾"	 \$1.50
3/8"x13/8"	 2.00
½"x1¾"	 2.25
1"x1%"	 3.75
1/4"x13/4"	 2.00
½"x1¾"	 3.40
1"x134"	 4.80

Finishing Lumber, Flooring, Cedar

CLEAR DOUGLAS FIR B AND BETTER SURFACED FOUR SIDES

Add for Sanding: \$5.00 per thousand feet board measure

Rough Size	Finished Size	Flat Grain 100 Lin. Ft.	Vertical Grain 100 Lin. Ft.	Rough Size	Finished Size	Flat Grain 100 Lin. Ft.	Vertical Grain 100 Lin. Ft.
1 x 2	3/4 x 15/8	\$1.35	\$1.50	11/4x 8	1½6x 7¼	\$6.25	\$7.25
1 x 3	$\frac{3}{4}$ x $\frac{21}{2}$	1.80	2.00	11/4×10	11/6x 91/4	8.50	10.25
1 x 4	$\frac{3}{4}$ x $\frac{31}{2}$	2.25	2.75	$1\frac{1}{4}$ x12	11/16×111/4	11.25	14.00
1 x 5	$\frac{3}{4}$ x $4\frac{1}{2}$	3.00	3.50	11/4×14	1½6x13		18.50
1 x 6	$\frac{3}{4}$ x $5\frac{1}{2}$	3.50	4.00	$1\frac{1}{4}$ x16	$1\frac{1}{16} \times 15$		24.00
1 x 8	3/4 x 71/4	4.75	5.50	2 x 3	15/8x 21/2	4.00	4.50
1 x10	$\frac{3}{4}$ x $9\frac{1}{4}$	6.50	7.75	2 x 4	15/8x 31/2	4.75	5.75
1 x12	3/4×111/4	8.50	10.50	2 x 6	15/8x 51/2	7.50	8.50
1 x14	3/4×13		14.00	2 x 8	15/8x 71/4	10.00	11.75
1 x16	$\frac{3}{4}$ x15		18.00	2 x10	15/8x 91/4	13.75	16.00
1½x 2	11/6X 15/8	1.75	2.10	2 x12	15/8×111/4	18.00	21.00
$1\frac{1}{4}$ x 3	11/16x 21/2	2.50	2.75	3 x 3	2½x 2½	6.40	8.00
$1\frac{1}{4} \times 4$	1½6x 3½	3.00	3.50	3 x 4	2½x 3½	8.50	10.50
$1\frac{1}{4}$ x 5	11/16x 4	4.00	4.75	4 x 4	3½x 3½	11.50	14.00
$1\frac{1}{4}$ x 6	11/16 /2	4.75	5.25		-/2		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

WIDE SPRUCE FOR DRAIN BOARDS Glued With Waterproof Glue

Rough Size	Finished Size	Per Lin. Ft.
1½x16	1½x15½	\$0.43
$\frac{1\frac{1}{4}x18}{1\frac{1}{4}x20}$	$\frac{1\frac{1}{8}x17\frac{1}{2}}{1\frac{1}{8}x19\frac{1}{2}}$.45
$\frac{1\frac{1}{4}x22}{1\frac{1}{4}x24}$	$\frac{11/8}{8}$ $\frac{11/2}{2}$ $\frac{11/2}{2}$.58

COUNTER TOPS Glued Up Vertical Grain Fir

Finished Size	Li	Per in. Ft.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		\$0.47
1 16"x22"		.58
1 16"x24"		.60
$1\frac{1}{16}$ "x26"		.70
$1\frac{1}{16}$ "x28"		.72

FIR C CLEAR S4S

Not Sanded

Rough Size	Finished Size	Random Grain 100 Lin, Ft.
1x3	3/4 x 2 ½	\$1.50
1x4	34 x 3 ½	2.00
1x5	34 x 4 ½	2.75
1x6		3.00
1x8	34 x 7 ½	4.50
1x10		5.50
1x12	34 x11 ½	4 7.50


VERTICAL GRAIN STEPPING

	Per 100	Lin. Ft.	
Size	 B&Btr	. C Clear	
11/4 x10	 \$11.10	\$ 9.00	
11/4 x12	14.40	11.60	

Write for Prices On

Fir Flooring
Fir Ceiling
Knotty V Joint Cedar
Clear V Joint Cedar
Cedar Siding
Knotty Pine V Joint Boards

Hardwood Flooring



WRITE FOR SPECIAL PRICE SHEET on High Quality

HARDWOOD FLOORING

First Grade

Clear White or Red Oak—Plain or Quartered

Second Grade

Select White or Red Oak-Plain

Third Grade

Common White or Red Oak-Plain

Eastern Maple in First, Second and Third Grades carried in \$\frac{1}{6}x2\frac{1}{4}\$ and \$\frac{3}{8}x2 T&G.

In ordering 13.24 add 13 to square footage of room, and for 3.24 add 14.

Tennessee Cedar Closet Lining

For use in old or new houses. This is the same lumber that is used in making cedar chests for protection against moths. It is tongue and grooved, and end matched and can be easily blind nailed over old plaster walls. The net size is $\frac{3}{8}$ "x2½", and it comes in a paper carton containing fifty feet, enough to cover forty square feet of wall surface.

Per Carton of Fifty Feet.....

\$7.00

Tempered Hard Board

An extremely dense board to be used where strength and wearing qualities are wanted: Counter tops, Booths, etc.


Size of	Per M Feet			
Sheets	1/8 "	3 "	1/4 "	
4'x6'—12' .	\$80.00	\$95.00	\$130.00	
4'x8'-9'-10	0' 83.00	100.00		

TEMPERED TILE

For bathrooms and kitchens, marked in tiles 4"x4" square. Never chips, cracks, warps or buckles.

Size of	Per	Per M Feet		
Sheets	. 1/8"	3 "		
4'x8'—10'—12'	\$110.00	\$130.00		

For Hard Board, Tempered Hardboard or Tempered Tile cut to size use next larger 6"; for smaller dimension, next larger foot for larger dimension, and add to above prices 25%.



Plywood

SLASH AND VERTICLE GRAIN DOUGLAS FIR AND PHILIPPINE MAHOGANY

SOUND TWO SIDES—SANDED TWO SIDES—ROTARY CUT FIR SLASH GRAIN

Sizes



C 701

Sizes	1/4" Thick Three-Ply	3/8" Thick Three-Ply	5/8" Thick Five-Ply	3/4" Thick Five-Ply
12" x 48"	\$0.20	\$0.26	\$0.42	\$0.49
12" x 60"	.25	.32	.53	.61
12" x 72"	.30	.38	. 63	.73
12" x 84"	.34	. 45	.74	.85
12" x 96"	.39	.52	.84	.98
14" x 48"	.23	.31	.49	.57
14" x 60"	.29	.38	. 62	.71
14" x 72"	.35	.45	.74	.85
14" x 84"	.40	. 53	.86	1.00
14" x 96"	.46	.61	.98	1.14
16" x 48"	.27	.35	.56	.66
16" x 60"	.34	. 43	.71	.82
16" x 72"	.40	.51	.84	. 98
16" x 84"	.46	.60	.99	1.14
16" x 96"	.52	.70	1.12	1.30
18" x 48"	.30	.39	.63	.74
18" x 60"	.38	. 48	.80	.94
18" x 72"	. 45	.57	. 95	1.10
18" x 84"	.51	.68	1.11	1.28
18" x 96"	. 59	.78	1.26	1.47
20" x 48"	.33	.44	.70	.82
20" x 60"	.42	.54	.89	1.01
20" x 72"	50	.64	1.05	1.22
20" x 84"	.57	.75	1.24	1.42
20" x 96"	. 65	.87	1.40	1.63

Sound Two Side Panels have a sound face on both sides, but may show some discoloration and limited sound defects. They are suitable for all ordinary uses and are particularly lanted for shop use. We can furnish Plywood in Good One Side at One Cent per square foot, or Good Two Sides at Two Cents per square foot advance over the above prices.

\$0.77 .97 1.15 1.36 1.54 22" x 48" 22" x 60" 22" x 72" 22" x 84" 22" x 96" \$0.90 1.12 1.34 1.57 1.80 .70 .83 .95 24" x 48" 24" x 60" 24" x 72" 24" x 84" 24" x 96" .98 1.22 1.47 .39 .49 .59 .69 .52 .65 .78 .91 1.47 1 95 30" x 48" 30" x 60" 30" x 72" 30" x 84" 30" x 96" .65 .82 .98 .51 .63 .76 1.32 1.54 36" x 48" 36" x 60" 36" x 72" 36" x 84" 36" x 96" 1.27 1.59 1.91 2.23 2.54 1.48 .61 .78 .76 .91 1.06 1.22 1.85 2.22 2.59 2.96 48" x 48" 48" x 60" 48" x 72" 48" x 84" 48" x 96" .86 1.08 1.28 1.50 1.11 1.38 1.66 1.74 2.18 2.62 3.05 2.02 2.53 3.03 3.54 1 94

3/8" Thick Three-Ply

\$0.48

14" Thick Three-Ply

\$0.37

" Thick

1000

3/4" Thick Five-Ply



BATTENS

			Mot	ılded	
%"x1%"	Per	100	Lin.	Ft	\$1.10
			Pl	ain	
5 "v13/1"	Per	100	Lin	Et	1.00

Plywood Wallboard

Full 1/4" Thick Laminated 3 Ply

DOUGLAS FIR Slach Guain

Panel	Slash Grain Per		Size
\$0.47	60"	X	32"
.56	72"	Х	32"
.66	84"	X	32"
.75	96"	X	32"
1.01	108"	Х	32"
1.23	120"	X	32"
.70	60"	X	48"
	72"	\mathbf{X}	48"
.98	84"	\mathbf{X}	48"
	96"	\mathbf{X}	48"
1.51	108"	х	48"
1.84	120"	X	48"

DOUGLAS FIR

Size	tical Grain		Panel
48"x60"	1/4"	. 1	\$2.12
48"x72"	1/4 "		2.54
48"x84"	1/4 "		2.97
48"x96"	1/4 "	•	3.40

PHILIPPINE MAHOGANY Ribbon Figured 1 Side, Fir Back

Size	Per	Panel
48"x60"	1/4"	\$2.44
48"x72"	1/4"	2.93
48"x84"	1/4 "	3.42
48"x96"	1/4"	3.90
48"x96"	3/4 "	9.28

Prices on 3/8" Wallboard on application.

Fir Plywood Wallboard is the ideal material for finishing ceilings and walls of homes, Summer Cottages, Attics and Basements. It is also widely used for lining Garages and Farm Buildings of all kinds, especially Poultry Houses and Milk houses. Beautiful effects can be obtained by using it to panel the walls of Stores, Restaurants, Offices and other Public Buildings.



PHILIPPINE MAHOGANY PLYWOOD

For distinctive walls in panelled rooms either in the home or commercial buildings. May be stained any color from natural to a Dark Walnut Shade.

WATER PROOF FIR PLYWOOD

Resin bonded panels, made in a hot plate press, guaranteed waterproof. Use for outdoor building purposes, signs, boat building, for any use where waterproof plywood is needed.

Carried in stock for immediate shipment. All sound two sides-Sanded two sides

1/8"	1/4"	3/8"	1/2"	5/8"	3/4"
	\$1.92	\$2.40			\$5.04
	3.96	4.68			
	5.46	6.30			
\$2.56	2.56	3.20	\$4.80	\$5.60	6.72
	3.80	4.20			
	5.28	6.24			
	7.28	8.40			
	9.60	10.88			
	\$2.56	\$1.92 3.96 5.46 \$2.56 2.56 3.80 5.28 7.28	\$1.92 \$2.40 3.96 4.68 5.46 6.30 \$2.56 2.56 3.20 3.80 4.20 5.28 6.24 7.28 8.40	\$1.92 \$2.40 3.96 4.68 5.46 6.30 \$2.56 2.56 3.20 \$4.80 3.80 4.20 5.28 6.24 7.28 8.40	\$1.92 \$2.40 3.96 4.68 5.46 6.30 \$2.56 2.56 3.20 \$4.80 \$5.60 3.80 4.20 5.28 6.24 7.28 8.40

THREE QUARTER INCH VERTICAL GRAIN FIR PLYWOOD

Made with lumber edge strip, splined to plywood core. Panels can be cut to any length and can be ripped one and one-half inches on each side. Fine for making flush cupboard doors. Will paint and enamel smoothly.

Sizes	Each	Sizes	Each
12 x 96	\$2.40	20 x 96	\$4.00
14 x 96	2.80	22 x 96	4.40
16 x 96	3.20	24 x 96	4.80
18 x 96	3.60	26 x 96	5.20

Kitchen Cabinets and Cabinet Parts



400

Measurements usually required are as follows:

A.—Total width between plastered walls.

B.—Width from left hand wall to center of sink.

C.—Width from right hand wall to center of sink.

D.—Size of sink.

E.—Height of sink, standard height is 35 inches.


F.—Width from left and right hand wall to outside edge of window casing.

H.—Height from top of finished floor to ceiling plaster.

CABINETS MADE IN OUR SHOP

Kitchen Cabinets made this way are made the same as furniture and give you a superior job that will stand up for many years. Send us a diagram of your kitchen and we will furnish you with a scale drawing and prices. They can be shipped set up or knocked down ready for assembly on the job.

Metal Drawer Guides



A smooth free running drawer is now obtainable at very low cost, by the use of these easily installed drawer guides.

The length of guide is the length of drawer from front to back.

These guides can be installed in our made up cabinets at very little extra cost.



FLOUR BINS

To Tilt
Panelled Front, Three-Ply Sides

Width ,	Sizes, Height	Depth	Per Bin
16" 16"	24"	16" 16"	\$3.00

QUARTER CIRCLE TIN FLOUR BINS

	To	Hang	on	В	ack	of	Door	r	Each
11" Radiu	s 11	" Deep)						. \$2.75
13" Radiu	is 19	" Deep)						. 3.00
Special Si	zes.								. 3.50



BREAD BOARDS

SIZE	Spruce	Birch
24" x 20"— 3/4".	\$1.25	\$2.50
30" x 20"— 3/".	1.40	3.00
36" x 20"— 3/1".	1.50	3.50
24" x 20"-116".	1.50	3.00
30" x 20"-114".	1.65	3.50
36" x 20"-116".	1.75	4.00



METAL LINED DRAWERS Suitable for Flour, Sugar, Bread and Pastries

Size of Drawer	Drawer and Liner Complet	
12" x 8" x 18".	\$3.70	\$2,25
12" x 11" x 18".	4.35	2.75
16" x 8" x 18".	4.10	2.50
16" x 11" x 18".	4.50	2.75

METAL DRAWERS

Baked White Enamel Finish



Wood Front, Metal Cover For Flour, Sugar, Bread, Cake.

No.	Wide	Size High	Deep	Each
A	9½"	71/2"	18"	\$3.00
В	131/2"	71/2"	18"	3.75
C	151/2"	71/2"	18"	4.25
D	15½"	101/2"	18"	5.00

Standard Drawers

Set Up Ready for Use

Made of Soft Yellow Fir, Sides and Bottoms Plywood, Faces are Lipped Knockdown Drawers—Deduct 10%



S	IZES UP TO		
Width Inches	Height Inches	Depth Inches	Per Drawer
12	5 7	18	\$1.10
12 12	7 9	18	1.30
12	11	18 18	1.45
12	13	18	1.60 1.75
18	5 7	18	1.30
18	7	18	1.45
18 18	9	18	1.60
18	13	18 18	1.75 1.90
24	5 7	18	1.45
24 .	7	18	1.60
24 24	9	18	1.75
24 24	11 13	18 18	1.90 2.10
30	5 7	18	1.60
30	7	18 18	1.75
30	9	18	1.90
30	11	18	2.29
30	13	18	2.25
36	5 7	18	2.10
36	7	18 18	2.25
36 36	9 11	18	2.40
36	13	18	2.55 2.70
42	5	18	2.25
42	7	18	2.40
42	9	18	2.55
42	11	18	2.70
42	13	18	2.90
48	5 7	18	2.40
48	7	18	2.55
48	9 11	18 18	2.70
48 48	13	18	2.90 3.10
40	19	10	3.10



Cabinet Parts

Vertical Grain Flush Cupboard Doors

These doors are made with a solid core and vertical grain fir veneer applied both sides. When ordering lipped doors specify opening size and allowance will be made for lips. Also, specify whether doors are to be lipped on all four sides or only top and two sides.



We are prepared to furnish on short notice all sizes of cupboard doors, made with Vertical Grain Fir stiles and rails and Rotary Cut Flat Grain Laminated Panels, Doweled, Glued and Well Sanded. These doors are furnished plain both 3," and 1 1/16" thick and lipped 1 1/16" thick. Be sure to state which kind wanted; if no thickness is given 3," will be shipped.

One-Panel

Cupboard Doors

Sizes Up to	No. 430 34" Plain Per Door	No. 431 1½" Plain Per Door	No. 432 1½" Lipped Per Door
18" x 18"	\$0.90	\$0.90	\$1.20
18" x 24"	1.00	1.00	1.30
18" x 30"	1.10	1.10	1.40
18" x 36"	1.20	1.20	1.50
18" x 42"	1.35	1.35	1.65
18" x 48"	1.50	1.50	1.80
18" x 54"	1.65	1.65	1.95
18" x 60"	1.80	1.80	2.10
18" x 66"	1.95	1.95	2.25
18" x 72"	2.10	2.10	2.40
18" x 78"	2.25	2.25	2.55
18" x 84"	2.40	2.40	2.70
24" x 18"	1.00	1.00	1.30
24" x 24"	1.10	1.10	1.40
24" x 30"	1.20	1.20	1.50
24" x 36"	1.35	1.35	1.65
24" x 42"	1.50	1.50	1.80
24" x 48"	1.65	1.65	1.95
24" x 54"	1.80	1.80	2.10
24" x 60"	1.95	1.95	2.25
24" x 66"	2.10	2.10	2.40
24" x 72"	2.25	2.25	2.55
24" x 78"	2.40	2.40	2.70
24" x 84"	2.55	2.55	2.85
30" x 18"	1.20	1.20	1.50
30" x 24"	1.35	1.35	1.65
30" x 30"	1.50	1.50	1.80
30" x 36"	1.65	1.65	1.95
30" x 42"	1.80	1.80	2.10
30" x 48"	1.95	1.95	2.25
30" x 54"	2.10	2.10	2,40
30" x 60"	2.25	2.25	2.55
30" x 66"	2.40	2.40	2.70
30" x 72"	2.55	2.55	2.85
30" x 78"	2.70	2.70	3.00
30" x 84"	2.85	2.85	3.15

For doors rabbeted in pairs, double above price and add \$0.25 for rabbeting.

Sizes Up to	No. 440 Plain Per Door	No. 441 Lipped Per Door	Sizes Up to	No. 440 Plain Per Door	No. 441 Lipped Per Door	Sizes Up to	No. 440 Plain Per Door	No. 441 Lipped Per Door
12" x 18"	\$0.84	\$1.14	16" x 66"	\$2.75	\$3.39	22" x 42"	\$2.41	\$3.15
12" x 24"	.84	1.14	16" x 72"	3.00	3.67	22" x 48"	2.75	3.56
12" x 30"	.93	1.23	16" x 78"	3.26	3.95	22" x 54"	3.09	3.95
12" x 36"	1.31	1.61	16" x 84"	3.50	4.23	22" x 60"	3.45	4.36
12" x 42"	1.53	1.83	18" x 18"	.84	1.14	22" x 66"	3.78	4.78
12" x 48"	1.76	2.06	18" x 24"	1.12	1.68	22" x 72"	4.12	5.17
12" x 54"	1.96	2.26	18" x 30"	1.40	2.02	22" x 78"	4.48	5.58
12" x 60"	2.19	2.49	18" x 36"	1.68	2.36	22" x 84"	4.81	6.00
12" x 66" 12" x 72" 12" x 78" 12" x 84"	2.41 2.62 2.85 3.07	2.71 2.92 3.25 3.37	18". x 42" 18" x 48" 18" x 54" 18" x 60"	2.25 2.53 2.81	3.05 3.39 3.75	24" x 18" 24" x 24" 24" x 30" 24" x 36"	1.13 1.50 1.87 2.25	1.51 1.93 2.33 2.73
14" x 18"	.84	1.14	18" x 66"	3.09	4.08	24" x 42"	2.62	3.15
14" x 24"	.87	1.17	18" x 72"	3.37	4.42	24" x 48"	3.00	3.55
14" x 30"	1.09	1.39	18" x 78"	3.65	4.78	24" x 54"	3.37	3.95
14" x 36"	1.31	1.80	18" x 84"	3.93	5.11	24" x 60"	3.75	4.36
14" x 42"	1.53	2.06	20" x 18"	.93	1.23	24" x 66"	4.12	4.78
14" x 48"	1.76	2.30	20" x 24"	1.38	1.68	24" x 72"	4.50	5.17
14" x 54"	1.96	2.55	20" x 30"	1.72	2.02	24" x 78"	4.87	5.58
14" x 60"	2.19	2.81	20" x 36"	2.06	2.36	24" x 84"	5.25	6.00
14" x 66"	2.41	3.05	20" x 42"	2.41	2.71	26" x 18"	1.21	
14" x 72"	2.62	3.30	20" x 48"	2.75	3.05	26" x 24"	1.63	
14" x 78"	2.85	3.56	20" x 54"	3.09	3.39	26" x 30"	2.04	
14" x 84"	3.07	3.80	20" x 60"	3.45	3.75	26" x 36"	2.43	
16" x 18"	.84	1.14	20" x 66"	3.78	4.08	26" x 42"	2.85	
16" x 24"	.99	1.29	20" x 72"	4.12	4.42	26" x 48"	3.26	
16" x 30"	1.25	1.70	20" x 78"	4.48	4.78	26" x 54"	3.65	
16" x 36"	1.50	1.98	20" x 84"	4.81	5.11	26" x 60"	4.06	
16" x 42"	1.76	2.26	22" x 18"	1.03	1.33	26" x 66"	4.48	
16" x 48"	2.00	2.55	22" x 24"	1.38	1.93	26" x 72"	4.87	
16" x 54"	2.25	2.83	22" x 30"	1.72	2.34	26" x 78"	5.28	
16" x 60"	2.51	3.11	22" x 36"	2.06	2.73	26" x 84"	5.70	

For doors rabbeted in pairs, double above price and add \$0.25 for rabbeting.

Lipped Doors



34" Doors are lipped to fit either No. 1005 or No. 1007 Hinges. 1 16" Doors are lipped to fit either No. 1005 or No. 1008 Hinges.

"Budget" Doors

SLASH GRAIN FLUSH CUPBOARD DOORS

Rezin sealed to prevent grain raising and warping. Made from ¾" 5-ply Plywood

Sizes up to	No. 420 Plain Per Door	No. 421 Lipped Per Door	Sizes up to	No. 420 Plain Per Door	No. 421 Lipped Per Door	Sizes up to	No. 420 Plain Per Door	No. 421 Lipped Per Door
14" x 18"	\$0.58	\$0.90	18" x 18"	\$0.58	\$0.95	22" x 18"	\$0.65	\$1.03
14" x 24"	. 61	.96	18" x 24"	. 68	1.08	22" x 24"	'80	1.19
14" x 30"	. 67	1.08	18" x 30"	.81	1.24	22" x 30"	. 94	1.35
14" x 36"	.77	1.17	18" x 36"	.93	1.35	22" x 36"	1.03	1.51
14" x 42"	.80	1.24	18" x 42"	1.00	1.42	22" x 42"	1.16	1.60
14" x 48"	.91	1.34	18" x 48"	1.10	1.54	22" x 48"	1.30	1.75
-14" x 54"	1.00	1.43	18" x 54"	1.16	1.67	22" x 54"	1.45	1.90
14" x 60"	1.07	1.54	18" x 60"	1.33	1.79	22" x 60"	1.58	2.05
16" x 18"	.58	.90	20" x 18"	.61	1.00	24" x 18"	.68	1.08
16" x 24"	. 62	1.03	20" x 24"	.74	1.14	24" x 24"	.84	1.25
16" x 30"	.74	1.14	20" x 30"	.87	1.29	24" x 30"	1.00	1.43
16" x 36"	.84	1.27	20" x 36"	.96	1.43	24" x 36"	1.12	1.61
16" x 4	.91	1.33	20" x 42"	1.07	1.51	24" x 42"	1.25	1.69
16" x 48	1.00	1.45	20" x 48"	1.21	1.64	24" x 38"	1.40	1.85
16" x 54"	1.10	1.55	20" x 54	1.33	1.79	24" x 54"	1.55	2.02
16" x 60"	1.21	1.67	20" x 60"	1.45	1.93	24" x 60"	1.70	2.18

China Closet Doors







No. 452 Metal Bars


Sizes Up to	No. 451 Each	No. 452 Each	Sizes Up to	No. 451 Each	No. 452 Each
16" x 30"	\$2.55	\$2.55	20" x 30"	\$2.65	\$2.65
16" x 36"	2.65	2.65	20" x 36"	3.05	3.05
16" x 42"	2.84	2.84	20" x 42"	3.52	3.52
16" x 48"	3.21	3.21	20" x 48"	3.98	3.93
16" x 54"	3.68	3.68	20" x 54"	4.57	4.57
18" x 30"	2.55	2.55	24" x 30"	2.98	2.98
18" x 36"	2.71	2.71	24" x 36"	3.54	4.54
18" x 42"	3.12	3.12	24" x 42"	4.10	4.10
18" x 48"	3.55	3.55	24" x 48"	4.66	4.66
18" x 54"	4.08	4.08	24" x 54"	5.37	5.37

Other Sizes and Designs Made to Order

Ironing Boards and Telephone Cabinets



In this combination, all the desirable features of an ironing board are retained, and in addition a two-leaf rigid



COMBINATION IRONING BOARD AND TABLE No. 82


Rough Opening 1'2"x6'10" Each \$11.00



TELEPHONE CABINET No. 90

Compartment below for directory. Rough Opening 131/2"x16"x334"

Complete with Trim, each.....\$3.00



IRONING BOARD No. 88

A Swivel Type Board for cramped spaces. Swings almost parallel with

Rough Opening to start 24" above floor 14"x58".

Complete with Casing attached, hinges, and metal rest for iron..\$7.20



IRONING BOARD No. 83

To set in wall, between studs. Opening required 1'2x6'8".


Per	Boar	'd\$	4.50
Add	for	Casing	.85



HOWARD ADJUSTABLE IRONING BOARD No. 85

To hang on wall. Board adjustable to any height desired. No opening in wall is necessary.

Complete with Hardware.....\$6.75



HOWARD ADJUSTABLE IRONING BOARD No. 86

To set in wall, opening 14" wide. Board sets 10" above floor. Board adjustable 20" to 36" above floor. Sleeve Board included.

Per	Boar	·db	\$6.50
Add	for	Casing	.85


Mirrors and Medicine Cabinets



400

VENETIAN CABINET NO. 95 CRYSTAL MIRROR—Seamed Edge

Number	Glass Size	Rough Opening	Each
95A	12"x18"	1'0"x1' 6"	\$4.35
95B	14"x20"	1'2"x1' 8"	4.54
95C	16"x22"	1'4"x1'10"	5.24
95D	18"x20"	1'6"x2' 0"	5.96



STEEL MEDICINE CABINET No. 91 CRYSTAL SHEET MIRROR

One-piece seamless steel cabinet with rounded corners. Two coats baked enamel finish. Two glass shelves. To be set after plastering.

Number	Glass Size	Rough opg.	Each
91	16"x26"	14"x24"	\$7.10

MEDICINE CASE DOORS

34 -Inch Thick, with Mirrors


Size of Door	Size of M	lirror	Per Door
1'4"x1'11"	12"x18"	Plain	\$2.65
1'8"x2' 1"	16"x20"	Plain	3.65
1'8"x2' 1"	16"x20"	Bevel	4.65



VENETIAN CABINET NO. 93
BEVEL PLATE MIRROR—Etched Design


Number	Glass Size	Rough Opening	Each
93A	14"x22"	1'2"x1' 8"	\$6.45
93B	16"x24"	1'4"x1'10"	7.39
93C	18"x26"	1'6"x2' 0"	8.36

FOLDING WALL SEAT



A convenient, strong seat in your Breakfast Room, by your Telephone, or in the Bathroom. Screws to finished wall. 11½" on center, overall size 13½"x30".

Made of Clear Pine. Price......\$3.50



VENETIAN CABINET NO. 94
CRYSTAL MIRROR—Etched Design

Number	Glass Size	Rough Opening	Each
94A	14"x20"	1'2"x1' 8"	\$5.19
94B	16"x22"	1'4"x1'10"	5.45
94C	18"x24"	1'6"x2' 0"	5.86



VENETIAN CABINET No. 97 Crystal Sheet Mirror

Made with face casing setting against wall to which door is hung. Sets in place after the plastering is completed.

No.	Glass Size	Rough Opening	Each
97A	14"x20"	12"x18"	\$4.75
97B	16"x22"	14"x20"	5.75
97C	18"x22"	16"x20"	6 . 50


MEDICINE CASE MIRRORS

Size		Each
12"x18"	Plain	\$1.50
16"x20"	Plain	2.50
16"x20"	Beveled	3.50

Stair Parts

Fir Tread, Fir Riser.....\$11.50

ROUND END TREADS AND RISERS Includes Cove and Base Shoe



PRICES OF PARTS FOR THE STAIRS PICTURED ABOVE


Bow Face Starter Step and Riser	
Oak Tread, Fir Riser	15.00
Oak Tread, Philippine Riser	16.00
Turned Newel	
Clear Fir	4.75
Philippine	6.50
Small Spiral Cap with Easement	
Clear Fir	16.00
Philippine	18.50

In ordering any of these parts we will need the rise and run of the stairs, and the width from the wall to the face of the plaster on the open side.



NO. 7 STAIR RAIL

Size		Per Foot
1%"x1%"	Fir	\$0.051/2
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Philippine	.11



Length of Throat 3'0" 3'6" 4'0"

\$12.00

14.50

16.00

\$12.50

15.00

16.50

NO. 27 STAIR RAIL 2¾" x 1¾"

Fir, per fo	ot	\$	0.09
Philippine	Mahogany,	ft	.20

If plowed to receive balusters add \$0.03 per foot.



No. 8 NEWELS

	Fir	Philippine Mahogany
--	-----	------------------------

No. 8 \$4.75 \$9.00

TREADS 16"x1114'

we at the second	3"0"	3'6"	4'0"
Oak Plain End	\$1.78	\$2.06	\$2.39
Oak Returned End	2.78	3.06	3.38
Fir Plain End	.55	.65	.75
Fir Returned End	1.30	1.40	1.50

If returned end treads, specify right or left hand returned

LANDING NOSING

	-16 /4	Per Foot	3'0"	4'0"
Fir		\$0.06	\$0.18	\$0.24
Oak		25	.75	1.00
•	RISERS			
	34"x714" S4S	3'0"	3'6"	4"0"
Fir		\$0.21	\$0.25	\$0.28
Philippine Mahogany		66	.77	88

		COVE 34"x7%"	Per Foot	3"0"	4'0"
Fir			\$0.01	\$0.03	\$0.04
Philippine	Mahogany		02	.06	.08


STRING BOARDS

		Not Housed	Not Housed Pe	
-			Fir	Phil. Mahg.
3/4"x 91/4"	S4S		\$0.10	\$0.30
34"x1114"	S4S		.12	.36

In addition to furnishing stock parts of stairs shown on this page, we can furnish complete stairs made to detail. Send us your plans and specifications for quotation.

BALUSTERS

			Fir
3/4"	Square	9	0.04
$1\frac{1}{16}''$	Square		.07
$1\frac{5}{16}''$	Square		.12
1%''	Square		.18
1 1/8"	Turned		.18
			ppine ogany
$1_{\frac{1}{16}}$ "	Square	\$0.	15
$1\frac{5}{16}''$	Turned		60




BALUSTERS 36" Long

Mantels


FIR AND PHILIPPINE MAHOGANY

STOCK SIZES AND DESIGNS MADE WITH STOCK MOULDINGS



MANTEL "A" SIMPLE MODERN COLONIAL TYPE


Wood			ll Size Height	Wood Opening	Suggested Grate Opening	Price
Vertical	Grain	Fir5'8"	4'2"	4'3½"x3'1"	3'0"x2'7"	\$19.50
Philippin	ne Mah	ogany5'8"	4'2"	4'3½"x3'1"	3'0"x2'7"	24.50




MANTEL "B" TRUE COLONIAL TYPE

Wood	Width	Opening	Suggested Grate Opening	Price
	Fir5'7" gany 5'7"	 3′9½"x2′9¾" 3′9½"x2′9¾"		\$31.50 38.75

Adjustable member next to tile makes it possible to increase wood opening up to 4'3"x3'11/2".



	1	MANTI	EL "E"			
Wood	Overa	ENGLISH 11 Size Height	COLONIAL Wood Opening	-	PE Suggested Grate Opening	Price
	Grain Fir5'7' e Mahogany 5'7'		4′9½″x3′0 4′9½″x3′0	-	3'6"x2'7" 3'6"x2'7"	





MANTEL "D" MODERN CLASSIC TYPE

Wood	Overall Size Width Height		Wood Opening	Suggested Grate Opening	Price	
	Grain Fir ie Mahog.			4′1″x3′1¼″ 4′1″x3′1¼″	3'1½"x2'7½" 3'1½"x2'7½"	\$23.75 31.50

These Mantles are completely made up ready to install. They are made to set flat against the plaster wall with the brick or tile flush with the face of the wall. If returned ends are required or wood openings of a different size they can be furnished at a slightly higher price. In ordering special sizes please send a sketch giving the necessary dimensions, such as grate opening, overall of face brick, distance from wall to face of brick, width and height necessary to cover all rough work.

Metal Fixtures for Kitchens





Utility Rack, 81/2" long, each\$	0.45
Spice Rack, 12" long, each	.40
Lid Rack, 131/2" long, each	.60

STAINLESS STEEL VENTILATING LOUVRES



Size 3" x 10½"

For Ventilating under sinks, broom closets, towel dryers, etc.

Opening required 21/4" x 91/4"

-			_		
T)	D - :				\$0.70
Per	Pair			 	DU./U



For use under sinks, or in drying cabinet. Cadmium finish. Each arm separately extendable.


No. 5100-18"	Overall	Length	\$2.00
No. 5101-22"	Overall	Length	2.25

STEEL SHELVES



Size	Each	Size	Each
11"x16"	\$0.40	15"x16"	\$0.50
11"x18"	50	15"x19"	.55
14"x141/4"	50	17"x20"	.60

COOLER VENTILATOR



Complete with Removable Rustproof Screen and Shut-off Door.

T 1	44.00
Each	\$1.50

VEGETABLE AND FRUIT UNIT

Three	Drawer	Unit	\$6.00
Two D	rawer U	nit	4.50
Single	Drawer	Unit	1.50

The two and three drawer units are complete and all that is necessary to install them is to screw the frame to the floor of the cabinet. The one drawer unit comes with loose metal guides.

Size of openings required:

- 3 Drawer 13" wide 24" high 18" deep 2 Drawer 13" wide 16½" high 18" deep 1 Drawer 13" wide 8" high 18" deep

K-VENIENCE CLOSET FIXTURES

TROUSER HANGER



Trouser Hanger \$0.30

NECKTIE RACK

\$0.60 Necktie Rack

CLOSET ROD



SHOE HOLDER



Adjustable 18" to 32".....

CLOTHES CARRIER



ize	Fits	Closet	up	to	16"	Deep	\$1.90
							2.50
ize	Fits	Closet	up	to	24"	Deep	3.50
ize	Fits	Closet	up	to	30"	Deep	4.50
ize	Fits	Closet	up	to	36"	Deep	5.00
	ize ize ize	ize Fits ize Fits ize Fits	ize Fits Closet ize Fits Closet ize Fits Closet	ize Fits Closet up ize Fits Closet up ize Fits Closet up	ize Fits Closet up to ize Fits Closet up to ize Fits Closet up to	ize Fits Closet up to 24" ize Fits Closet up to 24" ize Fits Closet up to 30"	ize Fits Closet up to 16" Deep

Modern Cabinet Hardware



400


1202	11/4"	Frei	ich	Chrome	\$0.30
1201	1"	Frei	nch	Chrome	.25
1202-	B Bi	right	Fin	nish	.30
1201-	B Bi	right	Fin	nish	.25




1220	French	Chrome	\$0.15
1220	Bright	Chrome	.20



1222 French Chrome25c



Cadmium For hanging 34" 5-ply Doors Face shows same as butt



CUPBOARD BUTTS

Steel, Plated


2	x1 1/2	Brass,	per	pair	\$0.20
2	x1 1/2	Nickel,	per	pair.	.25
2 1	2 x 1 ½	Brass,	per	pair	.20
21	½ x1 ½	Nickel,	per	pair	.25
21	2 x2	Brass,	per	pair	.25



1310	French	Chrome	\$	0.20
1310-B	Bright	Chrome		.25




1300	French	Chrome	(cast)	35c
1301	French	Chrome	(wrot)	25c
1301-	B Bright	Chrome		30c



French Chrome (cast).....





1305 French Chrome (cast)......35c



Semi-Concealed Hinges










GLASS KNOBS



GLASS DRAWER PULLS

 1101 2" French Chrome...30c
 Clear Crystal
 \$0.20

 1001 AB Brite Chrome...35c
 Black
 .25




1011-N %" RABT, Pair.........\$0.15 Nickel Finish



French Chrome......\$0.30

LATCHES

1101	Right Hand Flush, each	\$0.30
1102	Left Hand Flush, each	.30
1103	Right Hand %" Offset, each	.30
110.4	Left Hand %" Offset, each	.30




1110 Friction Catch......\$0.15



1111 Friction Catch.......\$0.10 Cadmium Finishh

Builders Hardware



400


NOME

Bronze on Steel Glass Knob


P	er Se
A—Lock Type	\$1.50
B—Latch Type	1.15
C-Bath Room Lock	1.60
(Nickel one side)	

Install Your Door Hardware the Modern Way with TUBULAR LOCKS

Bore two holes to install a lock in place of the old slow method of mortising. Lock sets for Bed Room and Bath Room Doors, locked from inside by pushing a button, emergency release on other side.




Full instructions and templets packed with each set.



KODIAK

Brass or Bronze on Steel Metal Knob


P	er Set	
A—Lock Type, dull bronze\$	1.35	
A-1—Lock Type, pol. brass	1.35	
3—Latch, dull bronze	1.15	
3-1—Latch, polished brass	1.15	
C—Bath Room Lock, dull bronze	1.45	
C-1—Bath Room Lock, polished brass	1.45	



JUNEAU

Cylinder Front Door Set

Wrought Polished Brass. Inside to match Inside Sets.



SEWARD

Cylinder Front Door Set

Wrought Dull Bronze Outside, Inside to match Inside Sets.

Per Set\$6.95




SKAGWAY

Cylinder Front Door Set

Old Iron Finish on Wrought Bronze Outside, Inside to match Inside Sets.


Per Set\$6.95



YUKON

Wrought Bronze Glass Knob

	Per Set
A—Lock Type	\$1.95
B—Latch Type	1.70
C-Bath Room Lock	1.95




SITKA

Keyed Dead Latch

For outside doors in combination with regular lock sets.

Complete Set, with 3 keys.....\$2.75





400

TRANSOM CATCHES

Brass	Finish,	each	\$0.30
Nickel	Finish,	each	.35




TRANSOM CHAINS

Brass	Finish,	each	\$0.20
Nickel	Finish,	each	.25



STAIR RAIL BRACKETS For Round Wall Rails Wrought Iron

Black	Plated,	each	60.30
Brass	Plated,	each	.23



ALASKA Bit Key Front Door Set Dull Brass Finish Per Set \$2.25

Builders' Hardware



CASEMENT SASH FASTENER

Dull Brass Finish

Each	\$0.20
	Dull Niekel

Each



CASEMENT SASH ADJUSTERS

Cast Iron, with Wrought Iron Bar 12 inches long-Dull Brass Finish

Each .\$0.45



SASH LOCKS

Wrought Steel

Dull B	rass	Fin	ish,	each	\$0.10
Nickel	Fini	sh,	eac	n	.12



BAR SASH LIFTS

Brass	Finish,	each	80.08
Nickel	Finish.	each	.10

HOOK SASH LIFTS

Brass	Finish,	each	\$0.04
Nickel	Finish,	each	.05



SCREEN DOOR HINGES

Plated

Don	Pair	00 50
T GI	Fair.	3(1) 31



SASH BUTTS Steel Sheridized Finish

Size	Per Pair
2½"x2½"	\$0.20
3"x3"	



SCREEN AND STORM SASH HANGERS

No. 1 Full Surface, Sheridized, each.....\$0.12



Wrought Steel, Brass

Doin	00 50
rair.	360 20
	Pair



SURFACE BOLTS Wrought Steel

Brass Finish

- 1	4	Boit,	each\$	J.25
	6"	Bolt,	each	.35



Wyoming Inside Lock Set

Dull Brass Finish

Per Set **\$0.75**

Bathroom Set

Nickel Finish One Side


Per Set \$1.25

DOOR BUTTS Wrought Steel Plated Dull Brass Finish


3"x3"

Bright Nickel Dull Sanded Black

Bronze Finish 3½"x3½" 4"x4"



WYOMING



ACME-TWIN

OUTSIDE

FRAME

-34-

CENTER LINE

OF FRAME

THIS

DETAIL FOR

WINDOW

SASH OF

SAME SIZE

ACME-TWIN

THICK

ACTUAL

Sash Balances

GRAND RAPIDS INVISIBLE BALANCE

For Double Hung Windows so that narrow casings and narrow mullions may be used without trouble

The two outstanding features of this new spring window balance are that it is not visible after installation, and that each pair of balances has an adjustment of from 2 to 6 pounds, depending on the size used.

Each balance is installed in a groove in the sash stile and then attached to the jamb of the frame with one screw. No preparation of the frame is necessary.

ORDERING:

When ordering balances specify the glass size of top and bottom sash and the kind of glass, either single or double strength.

GROOVING SASH:

If we do not furnish the sash be sure to have them grooved on each stile $\frac{5}{8}$ " wide and $\frac{13}{8}$ " deep.

PRICES PER SET OF 4 BALANCES

12"	to	30"	high	up	to	48"	wide	\$2.05
32"	to	38"	high	up	to	48"	wide	2.35
34''	to	$40^{\prime\prime}$	high	up	to	54''	wide	3.20
42"	to	48"	high	up	to	54''	wide	3.95



Figure 1



Figure 2



Figure 3



Figure 4

ACME TWIN BALANCE

Long-lifed spring in rustproof case, with tested cable, also rust-proofed.

One balance is used on one side of sash only, for sash up to 36" wide. Sizes wider require two balances per window.

Balances are self-adjusting to within a limit of two pounds. Maximum weight should always be given. In ordering give the glass size of each sash, thickness of sash, and type of glass used. If in doubt weigh the sash.

Prices per each Balance for a single Double Hung Window when used on one side only.

This roller is used on side of Sash opposite Balance. Single installation only.



ROLLER
ONE INCH
FROM
TOP
OF SASH

NUMBER CORRESPONDS TO THE WEIGHT OF EACH SASH

For 2 Equal Lights	For Shorter Top Lights
No. 4½\$1.35	No. 6 and 8\$1.35
No. 6 1.35	No. 8 and 12 1.35
No. 8 1.35	No. 10 and 12 1.35
No. 10 1.35	No. 10 and 14 1.50
No. 12 1.35	No. 10 and 16 1.65
No. 14 1.65	
No. 16 1.65	


Balances for off-center windows are stocked for installation on the right hand jamb, looking out from the inside of the building.


When ordering two balances for a window, take the number corresponding to one-half the weight of each sash.

This ACME feature makes it possible to use only one balance on most windows as the roller assures smooth up - and - down movement.

For Single Installation the Sash Balances may be installed on either side of window.







"Complete Woodwork For The Home"